



# PAVEMENT MANAGEMENT HISTORICAL PAVEMENT INDEX REPORT

Data from 1993 - 2002  
Compiled January, 2003

**District One**

Prepared by:  
Idaho Transportation Department  
Division of Planning



# DEFINITIONS OF TERMS USED IN THE ANNUAL INDEXLIST REPORT

**D:** The Idaho Transportation Department maintenance district number. It can be 1 - 6.

**Route:** The Route Number of the Highway (097 means State Highway 97, 084 means Interstate 84).

**MACS Code (Segment Code):** six-digit number that identifies the section of highway according to the code in the Milepost and Coded Segment (MACS) System.

**Beginning Milepost:** The milepost at the beginning of the test section of highway.

**Ending Milepost:** The milepost at the ending of the test section of highway.

**DIR:** Refers to direction of testing on a divided highway. Ascending means in the direction of ascending mileposts. Descending means the opposite direction.

**YEAR:** Shows the year to which the indices correspond.

**RI (Roughness Index):** Formally called PSI, this index is a 0 - 5 rating of the pavement section's roughness. This number is now obtained via profile measuring equipment.

**CI (Crack Index):** The CI is a rating similar to the RI, 5.0 corresponding to a section with little or no cracking and 0.0 representing sections with extreme cracking. Pavements are rated annually by the Pavement Management Engineer.

**SN (Skid Number):** A value (typically between 20 - 100) that represents a relative pavement friction index as measured by the locked-wheel skidmeter.

**FINAL INDEX:** This is the final pavement index for the section. It represents a weighted average of the CI and RI, based on factors such as traffic volume and traffic speed.

**REMARKS:** This area is to report any pavement related rehabilitation project for that pavement section and year. Also this area can be used for the user's own comments.

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
1	S.H.-1	001580	000.000	006.325	N	1993	2.70	3.00	59	2.86			
						1994	2.70	3.00	59	2.86	0.12		
						1995	2.70	3.00	59	2.86	0.12		
						1996	3.20	3.00	54	3.08	0.13		
						1997	3.10	3.00	51	3.04	0.13		
						1998	3.10	3.00	51	3.04	0.13		
						1999	3.10	3.00	52	3.04	0.15		
						2000	3.20	3.00	52	3.08	0.17		
						2001	2.80	3.00	52	2.91	0.17		
						2002	3.00	3.00	52	3.00	0.18		
1	S.H.-1	001580	006.325	011.185	N	1993	2.30	3.50	59	3.00			
						1994	2.30	3.50	59	3.00	0.16		
						1995	2.30	3.50	59	3.00	0.16		
						1996	2.90	3.50	53	3.25	0.13		
						1997	2.70	3.50	51	3.16	0.14		
						1998	2.50	3.50	51	3.09	0.13		
						1999	2.60	3.50	56	3.12	0.15		
						2000	2.70	2.60	56	2.64	0.18		
						2001	1.50	2.50	51	2.08	0.15		
						2002	2.90	2.50	51	2.66	0.16		
1	U.S.-2	001590	000.000	000.527	N	1993	2.10	4.50	50	3.34			
						1994	2.20	4.50	50	3.38	0.11		
						1995	2.20	4.50	50	3.38	0.11		
						1996	2.90	4.50	37	3.72	0.13	SEALCOAT	1996
						1997	2.50	4.50	35	3.58	0.11		
						1998	2.50	4.50	35	3.58	0.14		
						*1999	2.30	4.50	39	3.48	0.15		
						2000	2.70	4.50	42	3.62	0.18	PLANT MIX OVERLAY	2000
						2001	2.60	4.50	21	3.62	0.21		
						2002	2.50	4.50	21	3.58	0.25		
1	U.S.-2	001590	000.527	005.375	N	1993	2.80	2.50	52	2.63			
						1994	2.80	2.50	52	2.63	0.29		
						1995	2.80	2.50	52	2.64	0.29		
						1996	3.30	2.50	34	2.86	0.33	SEALCOAT	1996
						1997	3.10	2.50	33	2.77	0.31		
						1998	3.20	2.50	33	2.82	0.35		
						*1999	3.00	3.00	26	3.00	0.38		
						2000	3.20	5.00	28	4.17	0.13	PLANT MIX OVERLAY	2000
2001	3.40	5.00	24	4.26	0.16								
2002	3.30	5.00	24	4.22	0.17								

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
1	U.S.-2	001590	005.375	006.861	N	1993	2.10	2.20	45	2.15			
						1994	2.30	2.00	45	2.14	0.15		
						1995	2.30	2.00	45	2.14	0.15		
						1996	3.00	2.00	36	2.47	0.29	SEALCOAT	1996
						1997	2.60	2.00	28	2.28	0.28		
						1998	2.60	3.00	28	2.80	0.28		
						1999	2.80	3.00	21	2.90	0.19		
						2000	2.60	5.00	21	3.84	0.05	PLANT MIX OVERLAY	2000
						2001	2.60	5.00	44	3.84	0.08		
						2002	2.60	5.00	44	3.84	0.12		
1	U.S.-2	001590	006.861	012.988	N	1993	3.00	3.50	56	3.26			
						1994	3.00	3.50	56	3.26	0.21		
						1995	3.10	3.50	56	3.30	0.06	NEW CONST OR RECONST (FLEX)	1995
						1996	3.30	3.50	33	3.40	0.25	SEALCOAT	1996
						1997	3.00	3.50	33	3.26	0.26		
						1998	3.10	3.50	33	3.30	0.30		
						1999	2.90	3.50	37	3.21	0.35		
						2000	3.00	3.50	37	3.26	0.37	SEALCOAT	2000
						2001	3.10	3.50	37	3.30	0.29		
						2002	3.20	3.50	37	3.35	0.28		
1	U.S.-2	001590	012.988	014.950	N	1993	1.60	0.80	55	1.18			
						*1994	1.50	0.80	55	1.13	0.37		
						1995	3.50	5.00	54	4.28	0.00	NEW CONST OR RECONST (FLEX)	1995
						1996	3.90	5.00	33	4.47	0.08		
						1997	3.50	5.00	33	4.28	0.04		
						1998	3.40	5.00	33	4.23	0.07		
						1999	3.30	5.00	34	4.18	0.09		
						2000	3.40	5.00	34	4.23	0.10	SEALCOAT	2000
						2001	3.30	5.00	34	4.18	0.08		
						2002	3.40	5.00	34	4.23	0.11		
1	U.S.-2	001590	016.030	017.010	N	1993	1.60	0.80	55	1.18			
						*1994	1.50	0.80	55	1.13	0.37		
						1995	3.50	5.00	54	4.28	0.00	NEW CONST OR RECONST (FLEX)	1995
						1996	3.90	5.00	33	4.47	0.03		
						1997	3.50	5.00	33	4.28	0.02		
						1998	3.40	5.00	33	4.23	0.06		
						1999	3.10	5.00	37	4.09	0.08		
						2000	3.30	5.00	37	4.18	0.08	SEALCOAT	2000
						2001	3.00	5.00	37	4.04	0.08		
						2002	3.40	4.80	37	4.12	0.06		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
1	U.S.-2	001590	017.830	019.010	N	1993	1.60	0.80	55	1.18			
						*1994	1.50	0.80	55	1.13	0.37		
						1995	3.50	5.00	57	4.28	0.00	NEW CONST OR RECONST (FLEX)	1995
						1996	3.40	5.00	33	4.23	0.04		
						1997	3.40	5.00	33	4.23	0.03		
						1998	3.40	5.00	33	4.23	0.04		
						1999	3.40	5.00	39	4.23	0.06		
						2000	3.30	5.00	39	4.18	0.07	SEALCOAT	2000
						2001	3.20	5.00	39	4.13	0.06		
						2002	3.30	5.00	39	4.18	0.07		
1	U.S.-2	001590	019.390	019.900	N	1993	1.60	0.80	55	1.18			
						*1994	1.50	0.80	55	1.13	0.37		
						1995	1.70	0.80	49	1.20	1.67	NEW CONST OR RECONST (FLEX)	1995
						*1996	2.10	0.80	33	1.38	0.30		
						1997	2.90	5.00	47	3.99	0.04		
						1998	3.00	5.00	47	4.04	0.06		
						1999	2.90	4.70	38	3.83	0.08		
						2000	2.90	4.70	38	3.84	0.12	SEALCOAT	2000
						2001	1.70	4.70	38	3.27	0.19	NEW CONST OR RECONST (FLEX)	2001
						2002	3.30	4.70	38	4.03	0.07		
1	U.S.-2	001590	019.900	021.812	N	1993	1.50	0.80	49	1.11			
						1994	1.50	0.80	49	1.11	0.34		
						1995	1.70	0.80	49	1.20	1.67		
						*1996	2.10	0.80	33	1.38	0.30	PLANT MIX OVERLAY	1996
						1997	3.30	5.00	33	4.19	0.12		
						1998	3.30	5.00	33	4.18	0.18		
						1999	3.30	5.00	38	4.18	0.20		
						*2000	3.30	5.00	38	4.18	0.21		
						2001	3.90	5.00	43	4.47	0.34	NEW CONST OR RECONST (FLEX)	2001
						2002	4.00	5.00	43	4.52	0.13		
1	U.S.-2	001590	021.831	025.000	N	1993	1.50	0.80	49	1.11			
						1994	1.50	0.80	49	1.11	0.34		
						1995	1.70	0.80	49	1.20	1.67		
						*1996	2.10	0.80	33	1.38	0.30	PLANT MIX OVERLAY	1996
						1997	3.30	5.00	33	4.19	0.12		
						1998	3.30	5.00	33	4.18	0.18		
						1999	3.30	5.00	38	4.18	0.20		
						*2000	3.30	5.00	38	4.18	0.21		
						2001	3.90	5.00	37	4.47	0.34	NEW CONST OR RECONST (FLEX)	2001
						2002	4.10	5.00	37	4.56	0.12		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
1	U.S.-2	001590	025.000	025.400	N	1993	1.50	0.80	49	1.11			
						1994	1.50	0.80	49	1.11	0.34		
						1995	1.70	0.80	49	1.20	1.67		
						*1996	2.10	0.80	33	1.38	0.30	PLANT MIX OVERLAY	1996
						1997	3.30	5.00	33	4.19	0.12		
						1998	3.30	5.00	33	4.18	0.18		
						1999	3.30	5.00	38	4.18	0.20		
						*2000	3.30	5.00	38	4.18	0.21		
						2001	3.30	5.00	32	4.23	0.28		
						2002	3.30	4.00	32	3.68	0.26		
1	U.S.-2	001590	025.400	027.075	N	1993	1.50	0.80	49	1.11			
						1994	1.50	0.80	49	1.11	0.34		
						1995	1.70	0.80	49	1.20	1.67		
						*1996	2.10	0.80	33	1.38	0.30		
						1997	3.10	5.00	25	4.08	0.10	C.R.A.B.S.	1997
						1998	3.10	5.00	25	4.08	0.14		
						1999	2.90	5.00	34	3.98	0.15		
						2000	2.80	4.50	34	3.72	0.17	SEALCOAT	2000
						2001	2.70	4.50	34	3.68	0.20		
						2002	2.70	4.50	34	3.68	0.18		
1	U.S.-2	001590	027.075	027.456	N	1993	2.60	2.00	47	2.26			
						1994	2.50	2.00	47	2.22	0.15		
						1995	2.50	2.00	47	2.22	0.15		
						1996	2.60	2.00	39	2.27	0.25		
						1997	3.40	5.00	25	4.27	0.10	C.R.A.B.S.	1997
						1998	3.40	5.00	25	4.27	0.15		
						1999	3.30	5.00	25	4.23	0.17		
						2000	3.40	4.60	25	4.05	0.19	SEALCOAT	2000
						2001	3.30	4.60	34	4.00	0.22		
						2002	3.40	4.60	34	4.05	0.24		
1	U.S.-2	001590	027.456	028.400	N	1993	2.60	1.80	50	2.15			
						1994	2.30	1.80	50	2.01	0.40		
						1995	2.30	1.80	50	2.01	0.40		
						*1996	2.40	1.80	44	2.06	0.37		
						1997	2.90	5.00	31	4.09	0.14	C.R.A.B.S.	1997
						1998	3.00	5.00	31	4.13	0.14		
						1999	3.00	5.00	25	4.13	0.18		
						2000	3.10	4.80	25	4.06	0.21	SEALCOAT	2000
						2001	3.00	4.80	25	4.02	0.25		
						2002	3.10	4.50	25	3.89	0.25		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
1	U.S.-2	001590	028.400	028.515	N	1993	2.60	1.80	50	2.15		
						1994	2.30	1.80	50	2.01	0.40	
						1995	2.30	1.80	50	2.01	0.40	
						*1996	2.40	1.80	44	2.06	0.37	
						1997	2.30	1.80	39	2.01	0.13	
						1998	2.80	1.80	39	2.23	0.18	
						1999	2.30	1.80	39	2.01	0.19	
						2000	2.20	1.80	39	1.97	0.20	
						2001	2.60	1.80	25	2.14	0.23	
						2002	2.30	1.80	25	2.01	0.20	
1	U.S.-2	001590	064.350	066.945	N	1993	2.70	4.80	57	3.80		
						1994	2.70	3.50	57	3.12	0.27	NEW CONST OR RECONST (FLEX) 1994
						1995	2.70	3.30	57	3.01	0.27	
						1996	3.30	3.00	47	3.14	0.19	
						1997	3.10	3.00	41	3.04	0.20	
						1998	3.10	3.00	41	3.04	0.25	
						1999	3.20	3.00	46	3.09	0.21	
						*2000	3.20	2.90	46	3.04	0.21	
						2001	3.50	5.00	35	4.28	0.18	
						2002	3.40	5.00	35	4.23	0.21	
1	U.S.-2	001590	066.945	069.980	N	1993	2.70	4.80	57	3.80		
						1994	2.70	3.50	57	3.12	0.27	
						1995	2.70	3.30	57	3.01	0.27	
						1996	3.30	3.00	47	3.14	0.19	
						1997	3.10	3.00	41	3.04	0.20	
						1998	3.10	3.00	41	3.04	0.25	
						1999	3.20	3.00	46	3.09	0.21	
						*2000	3.20	2.90	46	3.04	0.21	
						2001	3.30	5.00	31	4.18	0.27	PLANT MIX OVERLAY 2001
						2002	3.70	5.00	31	4.38	0.10	
1	U.S.-2	001590	069.980	070.054	N	1993	2.70	4.80	57	3.80		
						1994	2.70	3.50	57	3.12	0.27	
						1995	2.70	3.30	57	3.01	0.27	
						1996	3.30	3.00	47	3.14	0.19	
						1997	3.10	3.00	41	3.04	0.20	
						1998	3.10	3.00	41	3.04	0.25	
						1999	3.20	3.00	46	3.09	0.21	
						*2000	3.20	2.90	46	3.04	0.21	
						2001	4.00	5.00	44	4.52	0.25	MILL AND INLAY 2001
						2002	2.90	5.00	44	3.99	0.09	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
1	U.S.-2	001590	070.054	071.251	N	1993	2.70	4.80	57	3.80		
						1994	2.70	3.50	57	3.12	0.27	
						1995	2.70	3.30	57	3.01	0.27	
						1996	3.30	3.00	47	3.14	0.19	
						1997	3.10	3.00	41	3.04	0.20	
						1998	3.10	3.00	41	3.04	0.25	
						1999	3.20	3.00	46	3.09	0.21	
						*2000	3.20	2.90	46	3.04	0.21	
						2001	3.10	2.90	56	2.99	0.14	
						2002	3.00	5.00	56	4.04	0.14	
1	U.S.-2	001590	071.251	076.650	N	1993	3.10	4.80	60	3.99		
						1994	3.00	4.80	60	3.94	0.11	
						1995	3.00	4.50	60	3.79	0.11	
						1996	4.00	4.50	50	4.26	0.12	
						1997	3.60	4.50	48	4.07	0.13	
						1998	3.50	4.50	48	4.02	0.12	
						1999	3.50	4.50	54	4.02	0.15	
						2000	3.60	4.50	54	4.07	0.15	
						2001	3.60	4.50	48	4.07	0.15	
						2002	3.40	4.50	48	3.97	0.21	
1	U.S.-2	001590	076.650	080.184	N	1993	2.90	4.80	60	3.89		
						1994	2.90	4.80	60	3.89	0.12	
						1995	2.90	4.50	60	3.74	0.12	
						1996	4.00	4.50	49	4.26	0.10	
						1997	3.60	4.50	50	4.07	0.12	
						1998	3.50	4.50	50	4.02	0.09	
						1999	3.50	4.50	54	4.02	0.14	
						2000	3.60	4.50	54	4.07	0.14	
						2001	3.60	3.90	49	3.75	0.13	
						2002	3.40	3.90	49	3.66	0.19	
1	U.S.-2	016038	014.950	016.030	N	1995	3.50	5.00	54	4.32	0.00	NEW CONST OR RECONST (FLEX) 1995
						1996	3.90	5.00	33	4.47	0.04	
						1997	3.70	5.00	33	4.37	0.03	
						1998	3.60	5.00	33	4.33	0.06	
						1999	3.50	5.00	34	4.28	0.07	
						2000	3.60	5.00	34	4.32	0.09	
						2001	3.40	5.00	34	4.23	0.09	
						2002	3.50	5.00	34	4.28	0.08	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS			
1	U.S.-2	016038	017.010	017.830	N	1995	3.50	5.00	54	4.32	0.00	NEW CONST OR RECONST (FLEX)	1995		
						1996	3.70	5.00	33	4.37	0.04				
						1997	3.50	5.00	33	4.28	0.06				
						1998	3.50	5.00	33	4.28	0.07				
						1999	3.40	5.00	37	4.23	0.10				
						2000	3.40	4.80	37	4.12	0.11				
						2001	3.30	4.80	37	4.08	0.09				
						2002	3.40	4.80	37	4.12	0.08				
1	U.S.-2	016038	019.010	019.370	N	1995	3.50	5.00	57	4.32	0.00	NEW CONST OR RECONST (FLEX)	1995		
						1996	3.00	5.00	33	4.04	0.14				
						1997	2.90	5.00	33	3.99	0.02				
						1998	3.10	5.00	33	4.09	0.04				
						1999	3.10	5.00	39	4.09	0.05				
						2000	3.10	5.00	39	4.09	0.08				
						2001	3.00	5.00	39	4.04	0.06				
						2002	3.30	5.00	39	4.18	0.09				
1	S.H.-3	001800	048.236	052.459	N	1993	2.10	2.00	46	2.04		PLANT MIX OVERLAY	1999		
						1994	2.10	2.00	46	2.04	0.60				
						1995	2.10	2.00	46	2.04	0.60				
						1996	2.90	2.50	48	2.67	0.37				
						1997	2.70	2.50	41	2.58	0.34				
						1998	2.80	2.50	41	2.63	0.36				
						1999	3.00	5.00	57	4.10	0.08				
						2000	3.90	5.00	57	4.50	0.04				
						2001	3.90	4.80	57	4.39	0.05				
						2002	3.70	4.80	57	4.31	0.07				
1	S.H.-3	001800	052.459	058.355	N	1993	2.10	2.50	34	2.32				PLANT MIX OVERLAY	1999
						1994	2.10	2.50	34	2.32	0.42				
						1995	2.10	2.40	34	2.26	0.42				
						1996	2.80	2.40	43	2.57	0.39				
						1997	2.50	2.50	38	2.50	0.34				
						*1998	2.50	2.50	38	2.50	0.40				
						1999	3.80	5.00	65	4.47	0.05				
						2000	3.70	5.00	65	4.42	0.05				
						2001	3.70	5.00	65	4.42	0.05				
						2002	3.70	5.00	65	4.42	0.06				

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
1	S.H.-3	001800	058.355	059.756	N	1993	2.20	2.80	54	2.53			
						1994	2.10	2.60	54	2.38	0.31		
						1995	2.10	2.50	54	2.32	0.31		
						1996	2.80	2.50	45	2.63	0.24		
						1997	2.50	2.50	39	2.50	0.26		
						*1998	2.30	2.50	39	2.41	0.23		
						1999	3.00	2.50	34	2.71	0.25		
						2000	3.10	2.50	34	2.76	0.32		
						2001	3.10	2.50	34	2.76	0.25		
						2002	3.90	2.50	34	3.11	0.09		
1	S.H.-3	001800	059.756	067.648	N	1993	2.20	2.80	52	2.53			
						1994	2.20	2.60	52	2.42	0.34		
						1995	2.20	2.50	52	2.36	0.34		
						1996	3.10	2.50	41	2.76	0.30	PLANT MIX OVERLAY	1996
						1997	2.80	2.50	37	2.63	0.28		
						1998	2.80	2.50	37	2.63	0.33		
						1999	2.80	2.50	37	2.63	0.32		
						2000	2.90	2.40	37	2.62	0.32		
						2001	3.00	2.40	37	2.66	0.30		
						2002	4.20	2.40	37	3.20	0.07		
1	S.H.-3	001800	067.648	070.165	N	1993	2.00	1.80	42	1.88			
						1994	2.00	1.80	42	1.88	0.37		
						1995	2.00	1.80	42	1.88	0.37		
						1996	2.40	1.80	43	2.06	0.22	PLANT MIX OVERLAY	1996
						1997	3.20	5.00	51	4.19	0.10		
						1998	3.20	5.00	51	4.19	0.09		
						1999	3.10	5.00	39	4.15	0.10		
						*2000	3.10	5.00	39	4.15	0.13		
						2001	3.20	5.00	39	4.19	0.11		
						2002	2.50	5.00	26	3.88	0.28		
1	S.H.-3	001800	070.055	073.200	N	1993	2.00	1.80	42	1.88			
						1994	2.00	1.80	42	1.88	0.37		
						1995	2.00	1.80	42	1.88	0.37		
						1996	2.40	1.80	43	2.06	0.22	PLANT MIX OVERLAY	1996
						1997	3.20	5.00	51	4.19	0.10		
						1998	3.20	5.00	51	4.19	0.09		
						1999	3.10	5.00	39	4.15	0.10		
						*2000	3.10	5.00	39	4.15	0.13		
						2001	3.20	5.00	39	4.19	0.11		
						2002	3.10	5.00	39	4.15	0.18		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
1	S.H.-3	001800	073.200	073.400	N	1993	2.00	1.80	42	1.88			
						1994	2.00	1.80	42	1.88	0.37		
						1995	2.00	1.80	42	1.88	0.37		
						1996	2.40	1.80	43	2.06	0.22	PLANT MIX OVERLAY	1996
						1997	3.20	5.00	51	4.19	0.10		
						1998	3.20	5.00	51	4.19	0.09		
						1999	3.10	5.00	39	4.15	0.10		
						*2000	3.10	5.00	39	4.15	0.13		
						2001	2.80	5.00	39	4.01	0.17	PLANT MIX OVERLAY	2001
						2002	3.00	5.00	39	4.10	0.16		
1	S.H.-3	001800	073.400	074.500	N	1993	1.80	2.50	40	2.19			
						1994	1.50	2.00	40	1.77	0.44		
						1995	1.50	2.00	40	1.77	0.44		
						1996	2.60	2.00	50	2.26	0.32		
						1997	2.30	2.00	46	2.13	0.20		
						1998	2.50	2.00	46	2.22	0.21		
						1999	2.40	2.00	31	2.17	0.22		
						2000	2.50	2.00	31	2.22	0.23		
						2001	3.40	5.00	31	4.28	0.16	PLANT MIX OVERLAY	2001
						2002	2.80	5.00	31	4.01	0.21		
1	S.H.-3	001800	074.500	076.000	N	1993	2.30	2.30	44	2.30			
						1994	2.20	2.30	44	2.25	0.36		
						1995	2.20	2.30	44	2.25	0.36		
						1996	3.00	2.30	42	2.61	0.29		
						1997	2.70	2.30	37	2.47	0.27		
						1998	2.80	2.30	37	2.52	0.33		
						1999	2.80	2.30	37	2.52	0.34		
						*2000	2.80	2.30	37	2.52	0.34		
						2001	3.60	5.00	36	4.37	0.06	PLANT MIX OVERLAY	2001
						2002	3.40	5.00	36	4.28	0.09		
1	S.H.-3	001800	076.000	077.900	N	1993	2.30	2.30	44	2.30			
						1994	2.20	2.30	44	2.25	0.36		
						1995	2.20	2.30	44	2.25	0.36		
						1996	3.00	2.30	42	2.61	0.29		
						1997	2.70	2.30	37	2.47	0.27		
						1998	2.80	2.30	37	2.52	0.33		
						1999	2.80	2.30	37	2.52	0.34		
						*2000	2.80	2.30	37	2.52	0.34		
						2001	3.50	2.40	38	2.89	0.18		
						2002	3.40	2.40	38	2.84	0.21		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
1	S.H.-3	001800	077.900	079.000	N	1993	2.20	3.00	48	2.64		
						1994	2.20	2.90	48	2.59	0.50	
						1995	2.20	2.90	48	2.59	0.50	
						1996	2.70	2.90	35	2.81	0.20	
						1997	2.40	2.90	32	2.67	0.26	
						1998	2.50	2.90	32	2.72	0.25	
						1999	2.60	2.90	28	2.76	0.25	
						2000	2.40	2.90	28	2.67	0.30	
						2001	2.50	2.90	28	2.72	0.23	
						2002	2.40	2.90	28	2.67	0.25	
						1	S.H.-3	001800	079.000	081.000	N	1993
1994	2.30	2.80	48	2.57	0.54							
1995	2.30	2.70	48	2.52	0.54							
1996	2.70	2.70	38	2.70	0.27							
1997	2.40	2.70	30	2.56	0.26							
1998	2.70	2.70	30	2.70	0.20							
1999	2.70	2.70	29	2.70	0.19							
2000	2.70	2.70	29	2.70	0.21							
2001	2.70	2.70	29	2.70	0.20							
2002	2.70	2.70	29	2.70	0.19							
1	S.H.-3	001800	081.000	082.800	N							1993
						1994	2.70	4.00	49	3.41	0.37	
						1995	2.70	3.50	49	3.13	0.37	
						1996	3.30	3.50	39	3.40	0.24	
						1997	3.10	3.50	31	3.31	0.27	
						1998	3.00	3.50	31	3.27	0.29	
						1999	3.10	3.50	32	3.32	0.36	
						2000	3.10	3.50	32	3.31	0.39	
						2001	3.10	3.50	32	3.31	0.31	
						2002	3.00	3.50	32	3.27	0.33	
						1	S.H.-3	001800	082.800	084.331	N	1993
1994	2.30	3.50	45	2.95	0.34							
1995	2.30	3.50	45	2.95	0.34							
1996	2.60	3.50	39	3.08	0.31							
1997	2.80	3.50	27	3.18	0.25							
1998	2.80	3.50	27	3.18	0.37							
1999	2.80	3.50	34	3.18	0.43							
2000	2.80	3.50	34	3.18	0.50							
2001	2.80	3.50	34	3.18	0.39							
2002	3.00	3.50	34	3.27	0.38							

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
1	S.H.-3	001800	084.331	084.683	N	1993	0.60	4.00	44	2.61			
						1994	0.50	4.00	44	2.53	0.19		
						1995	0.50	4.00	44	2.52	0.19		
						1996	1.80	4.00	39	3.07	0.18		
						1997	1.60	4.00	27	2.99	0.25		
						1998	1.60	4.00	27	2.99	0.27		
						1999	1.50	4.00	34	2.95	0.23		
						2000	1.50	3.50	34	2.66	0.20	SEALCOAT	2000
						2001	1.60	3.50	34	2.70	0.20		
						2002	1.60	3.50	34	2.70	0.23		
1	S.H.-3	001800	084.683	085.090	N	1993	1.40	3.00	29	2.28			
						1994	1.40	3.00	29	2.28	0.45		
						1995	1.40	3.00	29	2.27	0.45		
						1996	2.00	3.00	43	2.55	0.28		
						1997	2.20	3.00	32	2.64	0.28		
						1998	1.90	2.50	32	2.23	0.31		
						*1999	2.00	2.20	35	2.10	0.35		
						2000	2.40	2.20	35	2.29	0.17	SEALCOAT	2000
						2001	2.30	2.20	35	2.24	0.17		
						2002	2.30	2.20	35	2.24	0.20		
1	S.H.-3	001800	085.090	086.383	N	1993	1.50	3.00	45	2.33			
						1994	1.50	3.00	45	2.32	0.40		
						1995	1.50	3.00	45	2.32	0.40		
						1996	2.20	3.00	38	2.64	0.19		
						1997	1.70	3.00	38	2.41	0.26		
						1998	1.90	3.00	38	2.50	0.23		
						*1999	1.80	3.00	38	2.46	0.11	NEW CONST OR RECONST (FLEX)	1999
						2000	3.60	5.00	35	4.37	0.10	SEALCOAT	2000
						2001	3.40	5.00	35	4.28	0.13		
						2002	3.40	5.00	35	4.28	0.15		
1	S.H.-3	001800	086.963	087.060	N	1993	1.50	2.80	47	2.21			
						1994	1.30	2.80	47	2.12	0.52		
						1995	1.30	2.80	47	2.12	0.52		
						1996	2.20	2.80	37	2.53	0.25		
						1997	1.90	1.90	33	1.90	0.25		
						1998	2.00	1.90	33	1.94	0.26		
						*1999	1.90	1.90	42	1.90	0.28	NEW CONST OR RECONST (FLEX)	1999
						*2000	3.20	5.00	35	4.19	0.13	SEALCOAT	2000
						2001	2.50	5.00	35	3.87	0.10		
						2002	2.50	5.00	35	3.87	0.19		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
1	S.H.-3	001800	087.414	089.050	N	1993	1.50	2.80	47	2.21			
						1994	1.30	2.80	47	2.12	0.52		
						1995	1.30	2.80	47	2.12	0.52		
						1996	2.20	2.80	37	2.53	0.25		
						1997	1.90	1.90	33	1.90	0.25		
						1998	2.00	1.90	33	1.94	0.26		
						*1999	1.90	1.90	42	1.90	0.28		
						2000	2.60	1.90	42	2.21	0.24	SEALCOAT	2000
						2001	2.50	1.90	42	2.16	0.25		
						2002	2.80	1.90	42	2.30	0.28		
1	S.H.-3	001800	089.050	090.786	N	1993	1.60	4.00	49	2.92			
						1994	1.50	3.00	49	2.33	0.10		
						1995	1.50	2.80	49	2.21	0.10		
						1996	2.70	2.50	51	2.58	0.11		
						1997	2.60	2.30	37	2.43	0.16		
						1998	2.60	2.30	37	2.43	0.17		
						1999	2.40	2.30	48	2.34	0.20		
						2000	2.60	2.30	48	2.43	0.21		
						2001	2.60	2.30	48	2.43	0.20		
						2002	2.70	2.30	48	2.47	0.23		
1	S.H.-3	001800	090.786	093.050	N	1993	1.70	2.00	46	1.86			
						1994	1.70	2.00	46	1.86	0.09		
						1995	1.70	2.00	46	1.86	0.09		
						1996	2.90	1.90	40	2.34	0.11		
						*1997	2.60	1.90	46	2.21	0.15		
						1998	2.40	1.90	41	2.12	0.19		
						1999	2.40	1.90	43	2.12	0.21		
						2000	2.50	1.90	43	2.16	0.23		
						2001	2.60	1.90	43	2.21	0.19		
						2002	2.80	1.90	43	2.30	0.21		
1	S.H.-3	001800	093.050	095.628	N	1993	1.60	2.50	48	2.09			
						1994	1.40	2.30	48	1.89	0.45		
						1995	1.40	2.20	48	1.84	0.45		
						1996	2.40	1.60	42	1.95	0.22		
						1997	2.10	1.60	40	1.82	0.19		
						1998	2.20	1.60	40	1.86	0.22		
						1999	1.90	1.60	42	1.73	0.27		
						2000	2.60	1.60	42	2.04	0.23	SEALCOAT	2000
						2001	2.40	1.60	42	1.95	0.23		
						2002	2.50	1.60	42	2.00	0.25		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
1	S.H.-3	001800	095.730	095.880	N	1993	1.60	1.20	50	1.37			
						1994	1.60	1.20	50	1.37	0.35		
						1995	1.60	1.20	50	1.37	0.35		
						1996	2.40	1.20	48	1.73	0.29		
						1997	2.10	1.20	40	1.60	0.28		
						*1998	2.00	1.20	40	1.55	0.30		
						*1999	1.90	1.20	45	1.51	0.31		
						2000	3.00	1.60	42	2.22	0.09	SEALCOAT	2000
						2001	3.40	1.60	42	2.40	0.08		
						2002	3.40	5.00	42	4.28	0.08		
1	S.H.-3	001800	095.880	103.240	N	1993	1.60	1.20	50	1.37			
						1994	1.60	1.20	50	1.37	0.35		
						1995	1.60	1.20	50	1.37	0.35		
						1996	2.40	1.20	48	1.73	0.29		
						1997	2.10	1.20	40	1.60	0.28		
						*1998	2.00	1.20	40	1.55	0.30		
						*1999	1.90	1.20	45	1.51	0.31	C.R.A.B.S.	1999
						2000	3.70	5.00	45	4.42	0.07	SEALCOAT	2000
						2001	3.50	5.00	45	4.33	0.07		
						2002	3.40	5.00	45	4.28	0.08		
1	S.H.-3	001800	103.240	109.362	N	1993	1.60	1.20	50	1.37			
						1994	1.60	1.20	50	1.37	0.35		
						1995	1.60	1.20	50	1.37	0.35		
						1996	2.40	1.20	48	1.73	0.29	LEVELING COURSE	1996
						1997	2.10	1.20	40	1.60	0.28		
						*1998	2.00	1.20	40	1.55	0.30		
						1999	2.80	5.00	46	4.01	0.15		
						2000	2.90	5.00	46	4.06	0.15	SEALCOAT	2000
						2001	2.80	5.00	46	4.01	0.11		
						2002	2.90	5.00	46	4.06	0.15		
1	S.H.-3	001800	109.362	117.680	N	1993	2.40	2.00	51	2.17			
						1994	2.40	2.00	51	2.17	0.25		
						1995	2.40	2.00	51	2.17	0.25		
						1996	3.40	1.80	46	2.51	0.16	LEVELING COURSE	1996
						1997	3.10	5.00	42	4.15	0.13		
						1998	3.10	5.00	42	4.15	0.17		
						1999	3.00	5.00	45	4.10	0.19		
						2000	3.10	3.20	45	3.15	0.19	SEALCOAT	2000
						2001	2.80	3.20	45	3.02	0.12		
						2002	2.90	3.20	45	3.06	0.17		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
1	S.H.-3	025275	086.383	086.868	N	2000	3.80		35	3.80	0.11	
						2001	3.50	5.00	35	4.37	0.12	
						2002	3.70	5.00	35	4.45	0.16	
1	S.H.-3	025275	087.060	087.232	N	2000	3.30		35	3.30	0.07	
						2001	3.10	5.00	35	4.21	0.18	
						2002	2.60	5.00	35	4.00	0.16	
1	S.H.-4	001780	001.110	001.270	N	1993	0.20	4.50	62	2.88		
						1994	0.20	4.50	62	2.87	0.20	
						1995	0.20	4.50	62	2.87	0.20	
						1996	1.60	4.50	51	3.40	0.13	
						1997	1.90	2.50	46	2.27	0.13	
						1998	1.90	2.50	46	2.27	0.15	
						1999	2.00	2.40	46	2.24	0.16	
						2000	2.00	2.40	46	2.24	0.16	
						2001	4.00	5.00	45	4.62	0.14	PLANT MIX OVERLAY
						2002	2.10	5.00	45	3.90	0.11	
						1	S.H.-4	001780	001.270	001.647	N	1993
1994	1.90	1.50	62	1.65	0.16							
1995	1.90	1.50	62	1.65	0.16							
1996	2.90	1.50	63	2.02	0.19							
1997	2.60	1.50	54	1.91	0.22							
1998	2.50	1.50	54	1.87	0.21							
1999	2.20	1.50	59	1.76	0.18							
2000	2.40	1.50	59	1.83	0.20							
2001	3.80	5.00	34	4.54	0.22							PLANT MIX OVERLAY
2002	2.90	5.00	34	4.20	0.12							
1	S.H.-4	001780	001.647	005.324	N							1993
						1994	2.00	1.20	62	1.52	0.24	
						1995	2.00	1.20	62	1.52	0.24	
						1996	2.40	1.20	60	1.69	0.21	
						1997	2.30	1.20	53	1.65	0.19	
						1998	2.40	1.20	53	1.69	0.18	
						1999	2.30	1.20	64	1.65	0.17	
						*2000	2.50	1.20	64	1.72	0.18	
						2001	3.40	4.40	33	3.98	0.20	PLANT MIX OVERLAY
2002	3.20	4.40	33	3.90	0.14							

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
1	S.H.-4	001780	005.335	007.380	N	1993	1.70	1.20	62	1.40			
						1994	2.00	1.20	62	1.52	0.24		
						1995	2.00	1.20	62	1.52	0.24		
						1996	2.40	1.20	60	1.69	0.21		
						1997	2.30	1.20	53	1.65	0.19		
						1998	2.40	1.20	53	1.69	0.18		
						1999	2.30	1.20	64	1.65	0.17		
						*2000	2.50	1.20	64	1.72	0.18		
						2001	3.20	4.40	40	3.91	0.15	PLANT MIX OVERLAY	2001
						2002	2.90	4.40	40	3.79	0.12		
						1	S.H.-5	001820	000.000	000.490	N	1993	1.80
1994	1.80	2.30	57	2.07	0.48								
1995	1.80	2.10	57	1.96	0.48								
1996	2.60	2.10	30	2.32	0.40								
*1997	2.50	2.10	43	2.27	0.18								
1998	2.20	2.10	49	2.14	0.45								
1999	2.10	2.10	49	2.10	0.35								
2000	2.30	2.10	49	2.18	0.37								
2001	2.30	2.10	40	2.18	0.37								
2002	2.70	2.10	40	2.36	0.28								
1	S.H.-5	001820	000.490	001.132	N							1993	1.80
						1994	1.80	2.30	57	2.07	0.48		
						1995	1.80	2.10	57	1.96	0.48		
						1996	2.60	2.10	30	2.32	0.40	NEW CONST OR RECONST (FLEX)	1996
						*1997	2.50	2.10	43	2.27	0.18		
						1998	2.30	5.00	25	3.79	0.14		
						1999	2.30	5.00	45	3.79	0.14		
						2000	2.40	5.00	45	3.83	0.15		
						2001	2.40	5.00	45	3.83	0.17		
						2002	2.30	5.00	45	3.79	0.16		
						1	S.H.-5	001820	001.132	003.566	N	1993	2.40
1994	2.30	2.50	60	2.41	0.18								
1995	2.30	2.30	60	2.30	0.18								
1996	2.60	2.30	31	2.43	0.26							SEALCOAT	1996
1997	3.00	5.00	31	4.10	0.10								
1998	3.00	5.00	31	4.10	0.09								
1999	2.90	5.00	48	4.06	0.10								
2000	3.00	5.00	48	4.10	0.10								
2001	3.00	5.00	48	4.10	0.12								
2002	2.90	5.00	48	4.06	0.13								

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
1	S.H.-5	001820	003.566	004.400	N	1993	2.00	2.00	58	2.00			
						1994	1.70	2.00	58	1.86	0.48		
						1995	1.70	2.00	58	1.86	0.48		
						*1996	2.30	1.90	34	2.07	0.40	NEW CONST OR RECONST (FLEX)	1996
						1997	3.10	5.00	29	4.15	0.12		
						1998	3.10	5.00	29	4.15	0.12		
						1999	3.20	5.00	57	4.19	0.14		
						2000	3.10	5.00	57	4.15	0.15		
						2001	3.10	5.00	57	4.15	0.17		
						2002	3.10	5.00	57	4.15	0.19		
1	S.H.-5	001820	004.420	004.550	N	1993	2.00	2.00	58	2.00			
						1994	1.70	2.00	58	1.86	0.48		
						1995	1.70	2.00	58	1.86	0.48		
						*1996	2.30	1.90	34	2.07	0.40	NEW CONST OR RECONST (FLEX)	1996
						1997	3.40	5.00	48	4.28	0.10		
						1998	3.30	5.00	48	4.23	0.12		
						1999	3.30	5.00	51	4.23	0.11		
						2000	3.40	5.00	51	4.28	0.10		
						2001	3.40	5.00	51	4.28	0.14		
						2002	3.40	5.00	51	4.28	0.13		
1	S.H.-5	001820	004.832	005.856	N	1993	1.90	4.00	56	3.06			
						1994	1.90	4.00	56	3.06	0.48		
						1995	1.90	5.00	56	3.61	0.48	SEALCOAT	1995
						1996	3.00	5.00	44	4.10	0.28		
						1997	2.50	5.00	32	3.88	0.25		
						1998	2.60	4.80	32	3.81	0.26		
						1999	2.30	4.80	35	3.68	0.29		
						2000	2.60	4.80	35	3.81	0.28		
						2001	2.50	4.80	35	3.77	0.27		
						2002	2.70	4.80	35	3.86	0.18		
1	S.H.-5	001820	005.856	007.895	N	1993	1.50	1.90	58	1.72			
						1994	1.50	1.90	58	1.72	0.41		
						1995	1.50	1.90	58	1.72	0.41	SEALCOAT	1995
						1996	2.60	2.50	44	2.54	0.23		
						1997	2.80	5.00	36	4.01	0.13		
						*1998	2.70	3.10	36	2.92	0.16		
						1999	2.10	3.10	46	2.65	0.29		
						2000	2.40	3.10	46	2.78	0.30		
						2001	2.30	3.10	46	2.74	0.29		
						2002	2.50	3.10	46	2.83	0.22		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
1	S.H.-5	001820	007.895	011.262	N	1993	1.50	1.90	58	1.72			
						1994	1.50	1.90	58	1.72	0.41		
						1995	1.50	1.90	58	1.72	0.41	SEALCOAT	1995
						1996	2.60	2.50	44	2.54	0.23	PLANT MIX OVERLAY	1996
						1997	2.80	5.00	36	4.01	0.13		
						*1998	2.70	3.10	36	2.92	0.16		
						1999	2.90	5.00	45	4.06	0.12		
						2000	2.90	5.00	45	4.06	0.13		
						2001	3.00	5.00	45	4.10	0.13		
						2002	3.20	5.00	45	4.19	0.13		
						1	S.H.-5	001820	011.262	013.971	N	1993	1.60
1994	1.60	2.00	55	1.82	0.54								
1995	1.60	2.00	55	1.82	0.54							SEALCOAT	1995
1996	2.60	2.00	44	2.26	0.30							PLANT MIX OVERLAY	1996
1997	3.40	5.00	34	4.28	0.07								
1998	3.40	4.80	34	4.17	0.09								
1999	3.30	4.80	35	4.12	0.11								
2000	3.40	4.80	35	4.17	0.11								
2001	3.40	4.80	35	4.17	0.14								
2002	3.40	4.80	35	4.17	0.13								
1	S.H.-5	001820	013.971	017.235	N							1993	1.30
						1994	1.30	1.90	60	1.63	0.57		
						1995	1.30	1.90	60	1.63	0.57	SEALCOAT	1995
						1996	2.60	1.90	38	2.21	0.37	PLANT MIX OVERLAY	1996
						1997	3.40	5.00	35	4.28	0.08		
						1998	3.30	5.00	35	4.23	0.11		
						1999	3.20	5.00	40	4.19	0.10		
						2000	3.30	5.00	40	4.23	0.12		
						2001	3.30	5.00	40	4.23	0.15		
						2002	3.30	5.00	40	4.23	0.16		
						1	S.H.-5	001820	017.235	017.897	N	1993	1.30
1994	1.40	2.50	29	2.04	0.31								
1995	1.40	2.50	60	2.04	0.31							SEALCOAT	1995
1996	2.60	2.50	45	2.54	0.27							PLANT MIX OVERLAY	1996
1997	3.20	5.00	29	4.24	0.10								
1998	3.10	5.00	29	4.20	0.15								
1999	3.00	5.00	33	4.16	0.16								
2000	3.00	5.00	33	4.16	0.18								
2001	3.10	5.00	33	4.20	0.22								
2002	3.00	4.00	33	3.58	0.26								

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
1	S.H.-5	001820	017.897	018.670	N	1993	1.40	4.50	57	3.17			
						1994	1.40	4.50	57	3.18	0.25		
						1995	1.40	4.50	57	3.18	0.25	SEALCOAT	1995
						1996	2.80	4.50	39	3.77	0.26	PLANT MIX OVERLAY	1996
						1997	2.40	4.50	32	3.60	0.23		
						1998	2.30	3.70	32	3.10	0.29		
						1999	2.30	2.90	40	2.64	0.30		
						2000	2.30	2.50	40	2.41	0.32		
						2001	2.10	2.50	40	2.32	0.34		
						2002	2.60	2.50	40	2.54	0.33		
						1	S.H.-5	001820	018.670	018.925	N	1993	0.40
1994	1.00	4.50	33	3.00	0.00								
1995	1.00	4.50	57	3.00	0.00							SEALCOAT	1995
1996	2.30	4.50	39	3.56	0.17								
1997	1.80	4.50	34	3.34	0.18								
1998	1.90	4.10	34	3.16	0.10								
1999	1.50	3.90	34	2.87	0.21								
2000	1.50	3.90	34	2.87	0.23								
2001	1.60	2.70	40	2.23	0.30								
2002	1.90	2.70	40	2.35	0.35								
1	S.H.-5	001820	018.925	019.140	N							1993	0.10
						1994		4.50	63	4.50	0.25		
						1995		4.50	63	4.50	0.25	SEALCOAT	1995
						1996	1.50	4.50	39	3.21	0.21		
						1997	1.10	4.50	42	3.04	0.22		
						1998	1.00	4.50	42	3.00	0.21		
						1999	1.00	3.90	40	2.65	0.32		
						2000	1.00	3.90	40	2.65	0.31		
						2001	1.00	3.90	40	2.65	0.31		
						2002	0.90	3.90	40	2.61	0.31		
						1	S.H.-5	015998	004.550	004.820	N	1993	2.00
1994	2.70	5.00	58	3.97	0.15								
1995	2.70	5.00	58	3.97	0.15							SEALCOAT	1995
1996	3.10	5.00	34	4.15	0.14								
1997	2.50	5.00	48	3.88	0.12								
1998	2.40	5.00	48	3.83	0.11								
1999	2.40	5.00	51	3.83	0.22								
2000	2.50	5.00	51	3.88	0.23								
2001	2.50	5.00	51	3.88	0.24								
2002	2.80	5.00	51	4.01	0.22								

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
1	S.H.-6	001850	020.286	021.605	N	1993	1.50	1.00	54	1.19		
						1994	1.80	1.00	54	1.30	0.21	
						1995	1.80	1.00	54	1.30	0.21	
						1996	2.40	1.00	50	1.54	0.24	
						1997	2.40	5.00	30	3.99	0.18	
						1998	2.40	5.00	30	3.99	0.17	
						1999	2.50	5.00	65	4.03	0.34	
						2000	2.50	5.00	65	3.99	0.12	
						2001	2.50	5.00	65	3.99	0.11	
						2002	2.40	4.50	65	3.65	0.10	
1	S.H.-6	001850	021.605	025.830	N	1993	1.70	5.00	54	3.72		
						*1994	1.70	5.00	54	3.72	0.35	
						1995	1.60	5.00	55	3.63	0.37	
						1996	3.20	5.00	38	4.27	0.10	
						1997	2.80	5.00	24	4.11	0.09	
						1998	2.80	5.00	24	4.11	0.09	
						1999	2.60	5.00	59	4.03	0.17	
						2000	2.70	5.00	59	4.07	0.09	
						2001	2.70	5.00	59	4.07	0.09	
						2002	2.70	4.80	59	3.95	0.10	
1	S.H.-6	001850	025.830	035.055	N	1993	1.70	0.70	56	1.10		
						1994	1.50	0.50	56	0.90	1.53	
						1995	3.50	5.00	56	4.39	0.00	PLANT MIX OVERLAY
						1996	3.90	5.00	44	4.55	0.05	
						1997	3.50	5.00	40	4.39	0.06	
						*1998	3.50	5.00	40	4.39	0.06	
						1999	3.40	5.00	37	4.35	0.07	
						2000	3.40	5.00	37	4.35	0.07	
						2001	3.50	5.00	37	4.39	0.08	
						2002	3.40	4.50	37	4.05	0.09	
1	S.H.-41	001630	000.000	000.446	N	1993	2.10	1.50	52	1.75		
						1994	1.40	1.50	52	1.45	0.28	
						1995	1.40	1.50	52	1.45	0.28	
						1996	2.60	5.00	34	3.95	0.21	
						1997	2.00	3.50	24	2.84	0.19	
						1998	2.00	3.50	24	2.90	0.21	
						1999	1.90	3.50	54	2.85	0.23	
						2000	2.10	3.50	54	2.89	0.30	
						2001	2.10	3.50	54	2.94	0.21	
						2002	2.00	3.50	54	2.84	0.29	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
1	S.H.-41	001630	000.446	000.650	N	1993	2.40	2.00	49	2.18		
						1994	2.40	2.00	49	2.18	0.22	
						1995	2.40	2.00	49	2.18	0.22	
						1996	2.70	2.00	34	2.32	0.32	
						*1997	3.20	5.00	39	4.17	0.08	
						1998	2.60	4.00	40	3.39	0.26	
						1999	2.10	4.00	40	3.17	0.40	
						2000	2.50	4.00	40	3.34	0.40	
						2001	2.80	4.00	40	3.47	0.38	
						2002	2.40	4.00	40	3.25	0.41	
1	S.H.-41	001630	000.650	006.463	N	1993	2.40	2.00	49	2.18		
						1994	2.40	2.00	49	2.18	0.22	
						1995	2.40	2.00	49	2.18	0.22	
						1996	2.70	2.00	34	2.32	0.32	
						*1997	3.20	5.00	39	4.17	0.08	PLANT MIX OVERLAY
						1998	3.30	5.00	38	4.22	0.13	
						1999	3.30	5.00	55	4.22	0.15	
						2000	3.20	5.00	55	4.12	0.18	
						2001	3.30	5.00	55	4.17	0.20	
						2002	3.30	5.00	55	4.16	0.27	
1	S.H.-41	001630	006.463	006.768	N	1993	2.00	2.50	52	2.28		
						1994	2.10	2.50	52	2.33	0.30	
						1995	2.10	2.50	52	2.33	0.30	
						1996	3.20	2.50	36	2.79	0.31	
						1997	3.40	5.00	41	4.31	0.02	PLANT MIX OVERLAY
						1998	3.40	5.00	41	4.31	0.11	
						1999	3.40	5.00	55	4.31	0.11	
						2000	3.40	5.00	55	4.26	0.20	
						2001	3.50	5.00	55	4.31	0.18	
						2002	3.50	5.00	55	4.30	0.27	
1	S.H.-41	001630	006.768	007.290	N	1993	1.80	2.00	52	1.91		
						1994	1.80	2.00	52	1.91	0.24	
						1995	1.80	2.00	52	1.91	0.24	
						1996	2.50	2.00	36	2.21	0.25	
						1997	3.20	5.00	47	4.23	0.02	PLANT MIX OVERLAY
						1998	3.20	5.00	47	4.23	0.07	
						1999	3.20	5.00	65	4.23	0.09	
						2000	3.20	5.00	65	4.17	0.15	
						2001	3.30	5.00	65	4.22	0.18	
						2002	3.30	5.00	65	4.22	0.24	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
1	S.H.-41	001630	007.290	007.720	N	1993	2.60	4.50	47	3.69		
						1994	2.50	4.50	47	3.65	0.21	
						1995	2.50	4.50	47	3.64	0.21	
						*1996	3.10	4.50	36	3.90	0.31	
						*1997	2.90	5.00	47	4.10	0.06	PLANT MIX OVERLAY
						1998	2.90	5.00	47	4.09	0.10	
						1999	2.90	5.00	47	4.10	0.12	
						2000	2.80	5.00	47	3.99	0.14	
						2001	3.00	5.00	65	4.08	0.15	
						2002	3.10	5.00	65	4.13	0.21	
1	S.H.-41	001630	007.900	008.250	N	1993	2.40	1.30	54	1.79		
						*1994	2.50	1.30	54	1.84	0.15	
						1995	3.30	5.00	48	4.22	0.17	
						1996	3.70	5.00	35	4.40	0.21	
						1997	3.20	5.00	49	4.17	0.13	
						1998	3.30	5.00	49	4.22	0.13	
						1999	3.30	5.00	58	4.22	0.15	
						2000	3.50	4.50	58	4.04	0.16	
						2001	3.60	4.50	58	4.08	0.11	
						2002	3.20	4.50	58	3.90	0.13	
1	S.H.-41	001630	008.250	014.393	N	1993	2.40	1.30	54	1.79		
						*1994	2.50	1.30	54	1.84	0.15	
						1995	3.50	5.00	54	4.32	0.00	PLANT MIX OVERLAY
						1996	4.00	5.00	29	4.54	0.11	
						1997	3.60	5.00	35	4.36	0.13	
						1998	3.60	5.00	35	4.36	0.17	
						1999	3.60	5.00	40	4.36	0.20	
						2000	3.60	4.50	40	4.09	0.20	
						2001	3.60	4.50	40	4.09	0.19	
						2002	3.50	4.50	40	4.04	0.23	
1	S.H.-41	001630	014.393	018.130	N	1993	2.30	1.80	57	2.02		
						*1994	2.40	1.80	57	2.07	0.30	
						1995	3.50	5.00	57	4.32	0.00	PLANT MIX OVERLAY
						1996	3.90	5.00	33	4.50	0.10	
						1997	3.60	5.00	36	4.36	0.10	
						1998	3.60	4.70	36	4.20	0.13	
						1999	3.50	4.70	44	4.15	0.17	
						2000	3.50	4.70	44	4.15	0.17	
						2001	3.60	4.70	44	4.20	0.16	
						2002	3.50	4.70	44	4.15	0.19	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
1	S.H.-41	001630	018.130	019.849	N	1993	2.10	5.00	52	3.79			
						*1994	2.10	4.80	52	3.67	0.21		
						1995	3.50	4.80	52	4.25	0.00	PLANT MIX OVERLAY	1995
						1996	4.00	4.80	34	4.46	0.11		
						1997	3.70	4.80	33	4.34	0.14		
						1998	3.70	4.80	33	4.34	0.19		
						1999	3.60	4.80	41	4.29	0.21		
						2000	3.50	4.80	41	4.21	0.22		
						2001	3.50	4.10	41	3.84	0.20		
						2002	3.50	4.10	41	3.84	0.27		
1	S.H.-41	001630	019.849	022.700	N	1993	1.90	1.80	54	1.84			
						1994	1.90	1.80	54	1.84	0.40		
						1995	3.50	5.00	54	4.32	0.00	PLANT MIX OVERLAY	1995
						1996	3.80	5.00	31	4.46	0.12		
						1997	3.40	5.00	34	4.28	0.14		
						1998	3.40	5.00	34	4.28	0.19		
						1999	3.30	4.80	37	4.12	0.22		
						2000	3.30	4.50	37	3.96	0.24		
						2001	3.40	2.50	37	2.90	0.26		
						2002	3.40	2.50	37	2.90	0.26		
1	S.H.-41	001630	022.700	032.676	N	1993	3.60	5.00	55	4.37		PLANT MIX OVERLAY	1993
						1994	3.40	4.80	55	4.17	0.01		
						1995	3.50	4.80	55	4.22	0.01	PLANT MIX OVERLAY	1995
						1996	4.00	4.80	41	4.44	0.09		
						1997	3.80	4.80	39	4.35	0.12		
						1998	3.70	4.80	39	4.30	0.15		
						1999	3.80	4.80	40	4.35	0.18		
						2000	3.70	4.50	40	4.14	0.19		
						2001	3.80	4.00	40	3.91	0.18		
						2002	3.50	4.00	40	3.77	0.21		
1	S.H.-41	001630	032.676	037.400	N	1993	3.50	5.00	44	4.32		PLANT MIX OVERLAY	1993
						1994	3.40	5.00	44	4.27	0.00		
						1995	3.40	5.00	44	4.28	0.00		
						1996	4.00	5.00	37	4.54	0.12		
						1997	3.90	5.00	34	4.50	0.15		
						1998	3.90	5.00	34	4.50	0.22		
						1999	3.90	5.00	34	4.50	0.26		
						2000	3.80	5.00	34	4.45	0.24		
						2001	3.90	5.00	34	4.50	0.24		
						2002	3.60	5.00	34	4.36	0.27		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
1	S.H.-41	001630	037.400	039.058	N	1993	2.10	1.80	47	1.92			
						1994	2.20	1.80	47	1.96	0.32		
						1995	2.20	1.80	47	1.96	0.32		
						1996	2.50	1.80	37	2.09	0.38		
						1997	2.30	1.80	37	2.00	0.38		
						1998	2.70	3.00	37	2.87	0.26		
						1999	2.60	3.00	45	2.83	0.27		
						2000	2.70	3.00	45	2.87	0.27		
						2001	2.70	3.00	45	2.87	0.27		
						2002	2.80	3.00	45	2.91	0.29		
1	S.H.-41	006047	000.000	000.270	N	1993	0.50	5.00	55	3.09			
						1994	0.50	5.00	55	3.09	0.33		
						1995	0.50	5.00	55	3.07	0.33		
						1996	2.20	5.00	36	3.80	0.19		
						1997	1.90	5.00	41	3.67	0.21		
						1998	2.20	5.00	41	3.80	0.08		
						1999	2.00	5.00	41	3.71	0.10		
						2000	2.10	5.00	41	3.76	0.10		
						2001	2.20	5.00	65	3.80	0.13		
						2002	2.80	5.00	65	4.05	0.15		
1	S.H.-53	001650	000.000	008.207	N	1993	3.50	4.00	34	3.77			
						1994	3.60	3.50	34	3.54	0.17		
						1995	3.60	3.20	34	3.38	0.17		
						1996	4.00	3.20	50	3.56	0.13		
						1997	3.70	3.20	36	3.42	0.13		
						1998	3.60	2.80	36	3.16	0.17		
						1999	3.20	5.00	64	4.18	0.05	C.R.A.B.S.	1999
						2000	3.30	5.00	64	4.18	0.06		
						2001	3.30	5.00	64	4.18	0.07		
						2002	3.20	5.00	64	4.12	0.10		
1	S.H.-53	001650	008.207	009.145	N	1993	1.80	2.00	33	1.91			
						1994	1.90	2.00	33	1.95	0.27		
						1995	1.90	2.00	33	1.95	0.27		
						1996	2.40	2.00	42	2.16	0.28		
						*1997	2.60	2.00	42	2.25	0.21		
						1998	4.00	5.00	39	4.57	0.14	PLANT MIX OVERLAY	1998
						1999	3.10	5.00	51	4.19	0.08	C.R.A.B.S.	1999
						2000	3.20	5.00	51	4.18	0.12		
2001	3.10	5.00	51	4.13	0.14								
2002	3.30	5.00	51	4.22	0.17								

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
1	S.H.-53	001650	009.145	009.460	N	1993	2.10	2.50	33	2.33			
						1994	2.20	2.50	33	2.37	0.36		
						1995	2.20	2.50	33	2.37	0.36		
						1996	2.80	2.50	47	2.62	0.29		
						1997	2.20	2.50	36	2.37	0.28		
						1998	4.00	5.00	36	4.57	0.09	PLANT MIX OVERLAY	1998
						1999	2.80	5.00	36	4.06	0.12		
						2000	3.20	5.00	36	4.18	0.15		
						2001	3.10	5.00	51	4.13	0.15		
						2002	3.30	5.00	51	4.22	0.20		
1	S.H.-53	001650	009.660	009.765	N	1993	0.60	4.00	33	2.56			
						1994	2.50	4.00	33	3.36	0.22		
						1995	2.50	4.00	33	3.36	0.22		
						1996	2.50	4.00	47	3.36	0.22		
						1997	2.20	4.00	36	3.23	0.28		
						1998	4.00	4.00	36	4.00	0.09	PLANT MIX OVERLAY	1998
						1999	2.80	4.00	36	3.49	0.12		
						2000	3.20	4.00	36	3.63	0.15		
						2001	3.10	4.00	51	3.59	0.15		
						2002	3.30	4.00	51	3.68	0.20		
1	S.H.-53	001650	009.765	013.050	N	1993	3.30	3.50	45	3.40			
						1994	3.30	3.50	45	3.40	0.25		
						1995	3.30	3.50	45	3.40	0.25		
						1996	3.70	3.50	42	3.59	0.23		
						1997	3.50	3.50	31	3.50	0.23		
						1998	4.00	5.00	31	4.54	0.10	PLANT MIX OVERLAY	1998
						1999	3.90	5.00	56	4.50	0.10		
						2000	3.90	5.00	56	4.47	0.12		
						2001	3.90	5.00	56	4.47	0.12		
						2002	3.80	5.00	56	4.42	0.16		
1	S.H.-53	001650	013.050	014.080	N	1993	2.70	4.00	38	3.41			
						1994	2.80	4.00	38	3.45	0.24		
						1995	2.80	3.80	38	3.34	0.24		
						1996	3.40	3.80	42	3.61	0.18		
						*1997	3.20	3.80	31	3.52	0.20		
						1998	3.70	5.00	31	4.41	0.05	PLANT MIX OVERLAY	1998
						1999	3.70	5.00	47	4.41	0.08		
						2000	3.70	5.00	47	4.37	0.10		
						2001	3.70	5.00	47	4.37	0.09		
						2002	3.70	5.00	47	4.37	0.12		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
1	S.H.-53	001650	014.080	014.240	N	1993	2.70	4.00	38	3.41		
						1994	2.80	4.00	38	3.45	0.24	
						1995	2.80	3.80	38	3.34	0.24	
						1996	3.40	3.80	42	3.61	0.18	
						*1997	3.20	3.80	31	3.52	0.20	
						1998	2.50	3.80	31	3.21	0.10	
						1999	2.60	3.80	47	3.25	0.11	
						2000	2.40	3.80	47	3.12	0.17	
						2001	2.60	3.80	47	3.22	0.18	
						2002	2.70	3.80	47	3.27	0.14	
1	S.H.-54	001640	000.000	007.400	N	1993	2.20	4.50	57	3.63		
						1994	2.30	3.20	57	2.86	0.06	
						1995	2.30	3.10	57	2.79	0.06	
						1996	3.30	3.10	42	3.17	0.13	
						1997	2.90	2.00	40	2.34	0.14	
						1998	2.80	2.00	40	2.30	0.17	
						1999	2.80	5.00	45	4.16	0.23	C.R.A.B.S.
						2000	3.70	5.00	45	4.50	0.04	1999
						2001	3.80	5.00	45	4.54	0.04	
						2002	3.60	5.00	45	4.46	0.03	
1	S.H.-54	001640	007.400	007.916	N	1993	1.60	3.50	61	2.78		
						1994	1.50	3.00	61	2.43	0.11	
						1995	1.50	3.00	61	2.43	0.11	
						1996	2.10	3.00	39	2.65	0.19	
						1997	2.10	3.00	36	2.65	0.17	
						1998	2.20	2.80	36	2.57	0.20	
						1999	2.10	5.00	48	3.89	0.20	C.R.A.B.S.
						2000	2.50	5.00	48	4.05	0.05	1999
						2001	2.80	5.00	48	4.16	0.04	
						2002	2.50	5.00	48	4.05	0.02	SEALCOAT
1	S.H.-54	001640	007.916	012.131	N	1993	2.60	2.90	56	2.77		
						1994	2.50	2.90	56	2.73	0.22	
						1995	2.50	2.90	56	2.73	0.22	
						1996	3.00	2.90	37	2.94	0.22	
						1997	2.80	2.90	33	2.85	0.22	
						1998	2.70	2.90	33	2.81	0.22	
						1999	2.70	3.00	39	2.87	0.25	
						2000	2.70	3.00	39	2.87	0.26	
						2001	2.80	3.00	39	2.91	0.25	
						2002	2.70	3.00	39	2.87	0.21	SEALCOAT

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
1	S.H.-54	001640	012.131	013.200	ASC	1993	2.50	1.50	59	1.91		
						1994	2.60	1.50	59	1.95	0.09	
						1995	2.60	1.50	59	1.95	0.09	
						1996	2.90	1.50	50	2.07	0.19	
						1997	2.80	2.50	43	2.62	0.18	
						1998	2.70	2.50	43	2.58	0.23	
						1999	2.60	2.50	56	2.54	0.19	
						2000	2.70	2.50	56	2.58	0.20	
						2001	2.70	2.50	56	2.58	0.21	
						2002	2.50	2.50	56	2.50	0.22	SEALCOAT
1	S.H.-54	001640	012.131	013.200	DES	1993	2.50	1.50	58	1.91		
						1994	2.50	1.50	58	1.91	0.25	
						1995	2.50	1.50	58	1.91	0.25	
						1996	2.70	1.50	41	1.99	0.17	
						1997	2.60	1.50	40	1.95	0.18	
						1998	2.70	1.50	40	1.99	0.22	
						1999	2.60	3.00	43	2.83	0.16	
						2000	2.50	3.00	43	2.79	0.18	
						2001	2.60	3.00	43	2.83	0.20	
						2002	2.70	3.00	43	2.87	0.20	SEALCOAT
1	S.H.-54	001640	013.200	014.650	ASC	1993	2.20	1.50	60	1.78		
						1994	2.40	1.50	60	1.87	0.18	
						1995	2.40	1.50	60	1.87	0.18	
						1996	2.20	1.50	42	1.78	0.31	
						1997	2.40	1.50	45	1.87	0.25	
						1998	2.30	3.00	45	2.71	0.31	
						1999	2.30	3.00	61	2.71	0.25	
						2000	2.30	3.00	61	2.71	0.27	
						2001	2.30	3.00	61	2.71	0.27	
						2002	2.80	3.00	61	2.91	0.26	SEALCOAT
1	S.H.-54	001640	013.200	014.650	DES	1993	2.40	1.50	56	1.87		
						1994	2.50	1.50	56	1.91	0.46	
						1995	2.50	1.50	56	1.91	0.46	
						1996	2.70	1.50	40	1.99	0.36	
						1997	2.50	1.50	40	1.91	0.31	
						1998	2.80	3.00	40	2.91	0.35	
						1999	2.60	3.00	55	2.83	0.25	
						2000	2.60	3.00	55	2.83	0.27	
						2001	2.70	3.00	55	2.87	0.29	
						2002	2.50	3.00	55	2.79	0.29	SEALCOAT

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
1	S.H.-54	001640	014.650	015.510	N	1993	1.40	1.50	55	1.46		
						1994	2.10	1.50	55	1.72	0.47	
						1995	2.10	1.50	55	1.72	0.47	
						1996	2.20	1.50	46	1.76	0.27	
						1997	1.90	3.50	41	2.89	0.28	
						1998	1.80	3.50	41	2.85	0.32	
						1999	1.80	3.50	46	2.85	0.28	
						2000	1.80	3.50	46	2.85	0.28	
						2001	1.90	3.00	46	2.58	0.29	
						2002	2.10	3.00	46	2.65	0.32	SEALCOAT
1	S.H.-57	001620	000.000	000.450	N	1993	1.90	4.00	44	3.20		2002
						1994	2.50	4.00	44	3.42	0.15	
						1995	2.50	3.80	44	3.30	0.15	
						1996	3.10	3.80	29	3.53	0.15	
						1997	2.90	3.80	39	3.45	0.20	
						1998	2.70	3.80	39	3.38	0.16	
						1999	2.80	3.80	39	3.41	0.27	
						2000	2.60	3.80	39	3.34	0.19	
						2001	2.90	2.90	46	2.90	0.26	
						2002	2.70	2.90	46	2.82	0.25	
1	S.H.-57	001620	000.450	001.295	N	1993	2.70	4.00	49	3.45		
						1994	2.80	4.00	49	3.50	0.14	
						1995	2.80	3.80	49	3.38	0.14	
						1996	3.60	3.80	32	3.71	0.19	
						1997	3.10	3.80	27	3.50	0.19	
						1998	3.10	3.80	27	3.50	0.19	
						1999	3.10	3.80	36	3.51	0.21	
						2000	3.10	3.80	36	3.50	0.26	
						2001	3.10	3.70	38	3.44	0.23	
						2002	3.30	3.70	38	3.53	0.27	
1	S.H.-57	001620	001.295	008.678	N	1993	2.40	3.00	53	2.75		
						1994	2.40	3.00	53	2.75	0.23	
						1995	2.40	3.00	53	2.75	0.23	
						1996	3.40	3.00	34	3.16	0.15	
						1997	2.90	2.70	34	2.78	0.14	
						1998	3.10	2.70	34	2.86	0.16	
						1999	3.00	2.70	37	2.82	0.19	
						2000	3.00	2.30	37	2.59	0.19	
						2001	3.00	2.30	39	2.59	0.22	
						2002	3.10	2.20	39	2.57	0.23	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
1	S.H.-57	001620	008.678	019.000	N	1993	3.00	2.80	55	2.88			
						1994	3.00	2.80	55	2.88	0.08		
						1995	3.00	2.80	55	2.88	0.08		
						1996	3.80	2.80	41	3.21	0.06		
						1997	3.50	2.80	39	3.08	0.07		
						1998	3.50	2.80	39	3.08	0.08		
						1999	3.50	2.80	41	3.08	0.08		
						*2000	3.50	2.80	41	3.08	0.08		
						2001	3.50	2.70	43	3.03	0.10		
						2002	3.40	2.70	43	2.98	0.10		
						1	S.H.-57	001620	019.000	022.478	N	1993	3.00
1994	3.00	2.80	55	2.88	0.08								
1995	3.00	2.80	55	2.88	0.08								
1996	3.80	2.80	41	3.21	0.06								
1997	3.50	2.80	39	3.08	0.07								
1998	3.50	2.80	39	3.08	0.08								
1999	3.50	2.80	41	3.08	0.08								
*2000	3.50	2.80	41	3.08	0.08								
2001	4.00	5.00	57	4.58	0.08							MILL AND INLAY	2001
2002	3.20	4.50	57	3.96	0.07								
1	S.H.-57	001620	022.478	025.800	N							1993	2.70
						1994	2.80	2.40	50	2.56	0.13		
						1995	2.80	2.40	50	2.56	0.13		
						1996	3.10	2.40	39	2.68	0.11		
						1997	2.90	2.40	37	2.58	0.11		
						1998	2.90	2.40	37	2.58	0.13		
						1999	2.80	2.40	40	2.55	0.15		
						*2000	2.90	2.40	40	2.58	0.14		
						2001	3.80	5.00	58	4.50	0.05	MILL AND INLAY	2001
						2002	3.30	4.80	58	4.17	0.05		
						1	S.H.-57	001620	025.800	028.630	N	1993	2.70
1994	2.80	2.40	50	2.56	0.13								
1995	2.80	2.40	50	2.56	0.13								
1996	3.10	2.40	39	2.68	0.11								
1997	2.90	2.40	37	2.58	0.11								
1998	2.90	2.40	37	2.58	0.13								
1999	2.80	2.40	40	2.55	0.15								
*2000	2.90	2.40	40	2.58	0.14								
2001	3.20	2.40	51	2.70	0.16								
2002	3.10	2.40	51	2.66	0.14								

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
1	S.H.-57	001620	028.630	037.230	N	1993	2.70	2.40	56	2.52			
						1994	2.60	2.40	56	2.48	0.17		
						1995	2.60	2.20	56	2.36	0.17		
						1996	3.00	2.20	45	2.53	0.14		
						1997	2.90	2.10	42	2.43	0.15		
						1998	2.90	2.10	42	2.43	0.16		
						1999	2.80	2.10	42	2.38	0.19		
						2000	2.90	2.10	42	2.43	0.18		
						2001	2.80	2.10	43	2.38	0.19		
						2002	2.90	2.10	43	2.43	0.15		
1	S.H.-58	001810	000.000	002.760	N	1993	2.20	1.70	44	1.90			
						1994	2.10	1.70	44	1.86	0.36		
						1995	2.10	1.70	56	1.86	0.36		
						1996	2.70	1.70	35	2.11	0.29		
						*1997	2.50	1.70	43	2.03	0.23	PLANT MIX OVERLAY	1997
						1998	2.80	5.00	43	4.08	0.15		
						1999	2.80	5.00	60	4.08	0.14		
						2000	2.80	5.00	60	4.08	0.14		
						2001	2.90	5.00	60	4.12	0.15		
						2002	3.00	4.50	60	3.87	0.16		
1	S.H.-58	001810	002.760	002.861	N	1993	2.20	1.70	44	1.90			
						1994	2.10	1.70	44	1.86	0.36		
						1995	2.10	1.70	56	1.86	0.36		
						1996	2.70	1.70	35	2.11	0.29		
						*1997	2.50	1.70	43	2.03	0.23		
						1998	1.40	5.00	43	3.50	0.28		
						1999	1.50	4.00	60	2.96	0.18		
						2000	1.30	4.00	60	2.87	0.27		
						2001	1.50	4.00	60	2.96	0.31		
						2002	3.00	4.00	60	3.58	0.12		
1	S.H.-60	001830	000.000	005.510	N	1993	2.90	1.50	51	2.07			
						1994	2.90	1.50	51	2.07	0.32		
						1995	2.90	1.50	56	2.07	0.32		
						1996	2.90	1.50	50	2.07	0.22		
						1997	2.80	1.50	54	2.03	0.24		
						1998	2.80	1.50	54	2.03	0.19		
						1999	2.70	1.50	57	1.99	0.29		
						2000	2.70	1.50	57	1.99	0.31		
						2001	2.70	1.50	57	1.99	0.31		
						2002	3.80	1.50	57	2.44	0.14		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
1	I-90	001660	000.000	005.800	ASC	1993	2.90	3.50	47	3.19			
						1994	2.90	3.50	47	3.18	0.05		
						1995	2.90	3.50	47	3.18	0.05		
						1996	2.60	3.50	28	3.03	0.10		
						1997	2.50	3.50	31	2.97	0.10		
						1998	2.40	3.50	21	2.92	0.14		
						*1999	2.40	3.50	37	2.92	0.12		
						2000	4.10	5.00	35	4.52	0.08	CONCRETE RESURFACE	2000
						2001	4.00	5.00	45	4.47	0.14		
						2002	3.70	5.00	45	4.31	0.18		
1	I-90	001660	000.000	005.800	DES	1993	3.20	3.50	49	3.34			
						1994	3.20	3.50	49	3.34	0.08		
						1995	3.20	3.50	49	3.34	0.08		
						1996	3.00	3.50	38	3.23	0.10		
						1997	2.90	3.50	31	3.18	0.10		
						1998	2.80	3.50	22	3.13	0.14		
						*1999	2.70	3.50	36	3.08	0.19		
						2000	3.80	5.00	36	4.36	0.07	CONCRETE RESURFACE	2000
						2001	4.20	5.00	43	4.57	0.12		
						2002	3.70	5.00	43	4.31	0.19		
1	I-90	001660	005.800	008.189	ASC	1993	3.20	3.50	45	3.34			
						1994	3.10	3.50	45	3.29	0.12		
						1995	3.10	3.50	45	3.29	0.12		
						1996	2.70	3.50	30	3.08	0.16		
						1997	2.50	3.50	30	2.97	0.19		
						1998	2.50	3.50	23	2.97	0.17		
						*1999	2.40	3.50	38	2.92	0.26		
						2000	4.00	5.00	38	4.47	0.09	CONCRETE RESURFACE	2000
						2001	4.00	5.00	46	4.47	0.13		
						2002	3.50	5.00	46	4.21	0.19		
1	I-90	001660	005.800	008.189	DES	1993	3.40	3.00	47	3.20			
						1994	3.50	3.00	47	3.26	0.19		
						1995	3.50	3.00	47	3.26	0.19		
						1996	2.90	3.00	38	2.94	0.18		
						1997	2.70	3.00	32	2.84	0.20		
						1998	2.60	3.00	22	2.79	0.25		
						*1999	2.50	3.00	38	2.73	0.31		
						2000	3.60	5.00	39	4.26	0.13	CONCRETE RESURFACE	2000
						2001	4.20	5.00	43	4.58	0.12		
						2002	3.60	5.00	43	4.26	0.21		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
1	I-90	001660	008.189	009.785	ASC	1993	3.40	3.50	46	3.44		
						1994	3.20	3.40	46	3.29	0.13	
						1995	3.20	3.40	46	3.29	0.13	
						1996	2.70	3.40	30	3.03	0.20	
						1997	2.50	3.40	30	2.92	0.17	
						1998	2.40	3.20	22	2.78	0.25	
						1999	2.30	3.20	38	2.72	0.28	
						2000	4.10	5.00	38	4.52	0.08	CONCRETE RESURFACE
						2001	4.00	5.00	45	4.47	0.13	
						2002	3.50	5.00	45	4.21	0.22	
1	I-90	001660	008.189	009.785	DES	1993	3.40	3.00	45	3.20		
						1994	3.50	3.00	45	3.26	0.21	
						1995	3.50	3.00	45	3.26	0.21	
						1996	2.80	3.00	40	2.89	0.22	
						1997	2.60	3.00	33	2.79	0.25	
						1998	2.60	3.00	23	2.79	0.30	
						1999	2.50	3.00	39	2.73	0.33	
						2000	3.60	5.00	39	4.26	0.10	CONCRETE RESURFACE
						2001	4.20	5.00	44	4.58	0.13	
						2002	3.80	5.00	44	4.36	0.21	
1	I-90	001660	009.785	010.920	ASC	1993	3.10	2.40	47	2.76		
						1994	2.80	2.40	47	2.60	0.12	
						1995	2.80	2.30	47	2.55	0.12	
						1996	2.50	2.30	31	2.40	0.40	
						*1997	2.30	2.30	32	2.30	0.33	
						1998	2.30	2.30	20	2.30	0.48	
						*1999	2.10	2.30	38	2.19	0.45	
						2000	4.20	5.00	37	4.57	0.09	CONCRETE RESURFACE
						2001	4.10	5.00	45	4.52	0.22	
						2002	3.60	5.00	45	4.26	0.30	
1	I-90	001660	009.785	010.920	DES	1993	3.20	2.40	50	2.81		
						1994	3.30	2.40	50	2.86	0.05	
						1995	3.30	2.40	50	2.86	0.05	
						1996	2.90	2.40	37	2.65	0.30	
						*1997	2.60	2.30	42	2.45	0.34	
						1998	2.50	2.30	24	2.40	0.33	
						*1999	2.40	2.30	43	2.35	0.36	
						2000	3.90	5.00	41	4.42	0.05	CONCRETE RESURFACE
						2001	4.20	5.00	43	4.58	0.16	
						2002	3.70	5.00	43	4.31	0.23	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
1	I-90	001660	010.920	013.569	ASC	1993	3.10	1.80	54	2.46			
						1994	3.10	1.80	54	2.46	0.12		
						1995	3.10	1.80	54	2.46	0.12		
						1996	3.10	1.80	35	2.46	0.23		
						1997	2.70	1.80	40	2.25	0.24		
						*1998	3.10	1.80	24	2.46	0.30		
						*1999	3.70	5.00	43	4.33	0.07	MILL AND INLAY	1999
						2000	4.00	5.00	43	4.48	0.03		
						2001	4.00	5.00	27	4.48	0.05		
						2002	3.80	4.50	27	4.14	0.10		
1	I-90	001660	010.920	013.569	DES	1993	2.90	1.80	52	2.36			
						1994	2.90	1.80	52	2.36	0.04		
						1995	2.90	1.80	52	2.36	0.04		
						1996	3.10	1.80	56	2.46	0.26		
						1997	2.60	1.80	39	2.20	0.35		
						*1998	2.90	1.80	27	2.36	0.34		
						*1999	4.20	5.00	42	4.59	0.08	MILL AND INLAY	1999
						2000	4.30	5.00	42	4.64	0.04		
						2001	4.30	5.00	28	4.64	0.04		
						2002	4.00	5.00	28	4.48	0.07		
1	I-90	001660	013.569	014.781	ASC	1993	2.90	2.00	49	2.46			
						1994	2.80	2.00	49	2.41	0.12		
						1995	2.80	2.00	49	2.41	0.12		
						1996	3.10	1.90	39	2.51	0.29		
						1997	2.70	1.80	34	2.25	0.29		
						1998	2.40	1.80	21	2.10	0.40		
						1999	4.00	5.00	35	4.48	0.06	MILL AND INLAY	1999
						2000	3.90	5.00	35	4.43	0.03		
						2001	4.00	5.00	29	4.48	0.04		
						2002	3.60	4.50	29	4.03	0.07		
1	I-90	001660	013.569	014.781	DES	1993	2.80	2.00	43	2.41			
						1994	2.80	2.00	43	2.41	0.00		
						1995	2.80	2.00	43	2.41	0.00		
						1996	3.00	2.00	54	2.51	0.22		
						1997	2.40	1.90	42	2.15	0.26		
						1998	3.00	1.90	30	2.46	0.29		
						1999	4.00	5.00	47	4.48	0.05	MILL AND INLAY	1999
						2000	4.00	5.00	47	4.48	0.05		
						2001	4.00	5.00	29	4.48	0.06		
						2002	3.80	5.00	29	4.38	0.08		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
1	I-90	001660	020.280	020.682	ASC	1993	1.90	4.50	51	3.17		
						1994	1.80	4.00	51	2.88	0.00	
						1995	1.80	4.00	51	2.88	0.00	
						1996	2.40	4.00	38	3.18	0.05	
						1997	2.30	4.00	29	3.13	0.06	
						1998	2.10	4.00	29	3.03	0.05	
						1999	2.20	4.00	29	3.08	0.06	
						2000	2.20	4.00	29	3.08	0.05	
						2001	2.20	4.00	36	3.08	0.06	
						2002	2.30	4.00	36	3.13	0.11	
1	I-90	001660	020.280	020.682	DES	1993	1.90	4.50	52	3.17		
						1994	2.70	4.50	52	3.58	0.00	
						1995	2.70	4.50	52	3.58	0.00	
						1996	2.90	4.50	50	3.68	0.06	
						1997	2.70	4.50	50	3.58	0.11	
						1998	2.80	4.50	50	3.63	0.17	
						1999	2.70	4.50	50	3.58	0.13	
						2000	2.80	4.50	29	3.63	0.22	
						2001	2.80	4.50	43	3.63	0.23	
						2002	2.70	4.50	43	3.58	0.26	
1	I-90	001660	021.000	025.700	ASC	1993	3.00	5.00	55	3.98		
						1994	3.10	5.00	55	4.03	0.04	
						1995	3.10	4.50	55	3.78	0.04	
						1996	3.60	4.50	38	4.04	0.10	
						1997	3.30	4.50	39	3.89	0.12	
						1998	3.30	4.50	39	3.89	0.12	
						1999	3.30	4.00	45	3.64	0.16	
						2000	3.20	4.00	45	3.59	0.21	
						2001	3.30	4.00	39	3.64	0.23	
						2002	3.20	4.00	39	3.59	0.25	
1	I-90	001660	021.000	025.700	DES	1993	3.10	5.00	47	4.03		
						1994	3.20	5.00	47	4.08	0.05	
						1995	3.20	4.50	47	3.84	0.05	
						1996	3.60	4.50	47	4.04	0.16	
						1997	3.30	4.50	34	3.89	0.18	
						1998	3.30	4.50	32	3.89	0.22	
						1999	3.20	4.50	32	3.84	0.24	
						2000	3.30	4.50	32	3.89	0.28	
						2001	3.40	4.40	41	3.89	0.26	
						2002	3.20	4.40	41	3.79	0.30	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS						
1	I-90	001660	025.700	029.210	ASC	1993	3.00	3.50	44	3.24								
						1994	3.00	3.50	44	3.24	0.02							
						1995	3.00	3.50	44	3.24	0.02							
						1996	3.50	3.50	41	3.50	0.11							
						1997	3.20	3.50	41	3.34	0.10							
						1998	3.10	3.50	41	3.29	0.10							
						1999	3.00	3.50	46	3.24	0.09							
						2000	3.00	3.50	46	3.24	0.10							
						2001	3.10	3.50	42	3.29	0.12							
						2002	3.00	3.50	42	3.24	0.12							
						1	I-90	001660	025.700	029.210	DES	1993	3.00	5.00	50	3.98		
												1994	3.10	4.50	50	3.78	0.03	
1995	3.10	4.50	50	3.78	0.03													
1996	3.40	4.50	49	3.94	0.08													
1997	3.20	4.50	38	3.84	0.10													
1998	3.10	4.50	35	3.79	0.11													
1999	2.80	4.50	49	3.63	0.12													
2000	3.10	4.40	49	3.74	0.16													
2001	2.90	3.40	42	3.14	0.16													
2002	2.80	3.40	42	3.09	0.17													
1	I-90	001660	029.210	033.000	ASC							1993	2.60	4.00	56	3.29		
												1994	2.60	3.00	56	2.79	0.01	
						1995	2.60	2.80	56	2.69	0.01							
						1996	3.20	2.80	41	3.00	0.07							
						1997	3.10	2.80	42	2.95	0.07							
						1998	2.70	2.80	42	2.74	0.08							
						1999	2.70	2.80	48	2.74	0.08							
						2000	2.70	2.80	48	2.74	0.09							
						2001	2.70	2.80	41	2.74	0.11							
						2002	2.70	2.80	41	2.74	0.10							
						1	I-90	001660	029.210	033.000	DES	1993	2.50	4.00	57	3.23		
												1994	2.50	3.00	57	2.74	0.02	
1995	2.50	3.00	57	2.74	0.02													
1996	3.10	3.00	50	3.05	0.09													
1997	2.70	3.00	40	2.84	0.10													
1998	2.70	3.00	40	2.84	0.14													
1999	2.60	3.00	50	2.79	0.13													
2000	2.70	3.00	50	2.84	0.18													
2001	2.80	3.10	43	2.94	0.17													
2002	2.60	3.10	43	2.84	0.17													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
1	I-90	001660	033.000	040.391	ASC	1993	3.00	2.80	59	2.90			
						1994	2.90	2.80	59	2.85	0.02	SEALCOAT	1994
						1995	2.90	2.60	59	2.75	0.02		
						1996	3.50	2.60	48	3.05	0.20		
						1997	3.20	2.60	38	2.90	0.24		
						1998	3.20	2.60	38	2.90	0.25		
						1999	3.10	2.60	43	2.85	0.36		
						2000	3.10	2.60	43	2.85	0.36		
						2001	3.00	2.60	38	2.80	0.40		
						2002	3.10	2.60	38	2.85	0.39		
1	I-90	001660	033.000	040.391	DES	1993	3.00	2.80	61	2.90			
						1994	2.90	2.80	61	2.85	0.09	SEALCOAT	1994
						1995	2.90	2.80	61	2.85	0.09		
						1996	3.50	2.80	45	3.15	0.26		
						1997	3.30	2.80	34	3.05	0.33		
						1998	3.30	2.80	29	3.05	0.33		
						1999	3.20	3.10	41	3.15	0.38		
						2000	3.20	3.10	41	3.15	0.43		
						2001	3.30	3.50	36	3.39	0.43		
						2002	3.30	3.50	36	3.39	0.41		
1	I-90	001660	040.391	044.100	ASC	1993	2.90	2.00	58	2.45			
						1994	3.00	5.00	58	3.98	0.04	MILL AND INLAY	1994
						1995	3.00	5.00	58	3.98	0.04		
						1996	4.00	5.00	64	4.49	0.13		
						1997	3.70	5.00	36	4.34	0.17		
						1998	3.70	5.00	36	4.34	0.18		
						1999	3.70	5.00	43	4.34	0.24		
						2000	3.70	5.00	43	4.34	0.24		
						2001	3.80	5.00	32	4.39	0.29		
						2002	3.60	5.00	32	4.28	0.28		
1	I-90	001660	040.391	044.100	DES	1993	2.60	2.00	60	2.30			
						1994	2.90	5.00	60	3.93	0.05	MILL AND INLAY	1994
						1995	2.90	5.00	60	3.93	0.05		
						1996	3.80	5.00	54	4.39	0.15		
						1997	3.50	5.00	34	4.23	0.18		
						1998	3.50	5.00	27	4.23	0.23		
						1999	3.40	5.00	39	4.18	0.28		
						2000	3.50	5.00	39	4.23	0.30		
						2001	3.50	5.00	35	4.23	0.28		
						2002	3.30	5.00	35	4.13	0.33		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
1	I-90	001660	044.100	044.888	ASC	1993	2.70	2.80	59	2.74			
						1994	3.00	5.00	59	3.98	0.00	MILL AND INLAY	1994
						1995	3.00	5.00	59	3.98	0.00		
						1996	3.90	5.00	62	4.44	0.09		
						1997	3.70	5.00	36	4.34	0.09		
						1998	3.70	5.00	36	4.34	0.13		
						1999	3.70	5.00	38	4.34	0.13		
						2000	3.70	5.00	38	4.34	0.16		
						2001	3.80	5.00	30	4.39	0.16		
						2002	3.50	5.00	30	4.23	0.22		
1	I-90	001660	044.100	044.888	DES	1993	2.50	2.80	61	2.64			
						1994	3.00	5.00	61	3.98	0.00	MILL AND INLAY	1994
						1995	3.00	5.00	61	3.98	0.00		
						1996	3.90	5.00	63	4.44	0.07		
						1997	3.70	5.00	34	4.34	0.09		
						1998	3.70	5.00	30	4.34	0.10		
						1999	3.70	5.00	37	4.34	0.19		
						2000	3.80	5.00	37	4.39	0.23		
						2001	3.80	5.00	34	4.39	0.21		
						2002	3.50	5.00	34	4.23	0.27		
1	I-90	001660	044.888	045.548	ASC	1993	2.60	2.30	55	2.45			
						1994	2.70	2.30	55	2.50	0.06	MILL AND INLAY	1994
						*1995	2.70	2.30	55	2.50	0.06		
						1996	3.20	2.30	52	2.75	0.07		
						1997	2.70	2.30	37	2.50	0.06		
						1998	2.70	5.00	37	3.83	0.09		
						1999	2.70	5.00	40	3.82	0.07		
						2000	2.70	5.00	40	3.82	0.14		
						2001	2.70	5.00	41	3.82	0.13		
						2002	2.90	5.00	41	3.93	0.14		
1	I-90	001660	044.888	045.548	DES	1993	2.80	2.30	58	2.55			
						1994	3.00	2.30	58	2.65	0.10	MILL AND INLAY	1994
						*1995	3.00	2.30	58	2.65	0.10		
						1996	3.00	2.30	62	2.65	0.07		
						1997	3.00	2.30	35	2.65	0.08		
						1998	3.10	5.00	29	4.03	0.12		
						1999	3.00	5.00	40	3.98	0.16		
						2000	3.00	5.00	40	3.98	0.18		
						2001	3.10	5.00	38	4.03	0.17		
						2002	2.90	5.00	38	3.93	0.20		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
1	I-90	001660	045.548	049.414	ASC	1993	2.60	2.30	55	2.45			
						1994	2.70	2.30	55	2.50	0.06	SEALCOAT	1994
						*1995	2.70	2.30	55	2.50	0.06		
						1996	3.30	5.00	39	4.13	0.18	PLANT MIX OVERLAY	1996
						1997	3.40	5.00	39	4.18	0.10		
						1998	3.30	4.80	39	4.03	0.15		
						1999	3.30	4.80	33	4.03	0.17		
						2000	3.40	4.80	33	4.08	0.19		
						2001	3.30	4.80	32	4.03	0.20		
						2002	3.30	4.80	32	4.03	0.27		
1	I-90	001660	045.548	049.414	DES	1993	2.80	2.30	58	2.55			
						1994	3.00	2.30	58	2.65	0.10	SEALCOAT	1994
						*1995	3.00	2.30	58	2.65	0.10		
						1996	3.70	5.00	47	4.33	0.21	PLANT MIX OVERLAY	1996
						1997	3.60	5.00	47	4.28	0.06		
						1998	3.60	5.00	22	4.28	0.11		
						1999	3.50	5.00	34	4.23	0.16		
						2000	3.60	5.00	34	4.28	0.22		
						2001	3.70	5.00	34	4.33	0.20		
						2002	3.50	5.00	34	4.23	0.27		
1	I-90	001660	049.414	050.969	ASC	1993	2.80	3.00	60	2.89			
						1994	3.10	3.00	60	3.05	0.08	SEALCOAT	1994
						*1995	3.10	3.00	60	3.05	0.08		
						1996	3.20	5.00	43	4.08	0.19	PLANT MIX OVERLAY	1996
						1997	2.80	5.00	43	3.88	0.06		
						1998	2.70	5.00	43	3.83	0.10		
						1999	2.70	5.00	35	3.83	0.13		
						2000	2.60	5.00	35	3.78	0.14		
						2001	2.70	5.00	35	3.83	0.18		
						2002	2.80	5.00	35	3.88	0.17		
1	I-90	001660	049.414	050.969	DES	1993	2.80	3.00	61	2.89			
						1994	2.90	3.00	61	2.94	0.06	SEALCOAT	1994
						*1995	2.90	3.00	61	2.94	0.06		
						1996	3.60	5.00	43	4.29	0.23	PLANT MIX OVERLAY	1996
						1997	3.30	5.00	43	4.13	0.07		
						1998	3.30	5.00	23	4.13	0.11		
						1999	3.20	5.00	37	4.08	0.12		
						2000	3.20	5.00	37	4.08	0.16		
						2001	3.30	5.00	39	4.13	0.16		
						2002	3.20	5.00	39	4.08	0.18		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
1	I-90	001660	050.969	052.000	ASC	1993	3.10	3.00	56	3.05			
						1994	2.90	3.00	56	2.94	0.06	SEALCOAT	1994
						*1995	2.90	3.00	56	2.94	0.06		
						1996	3.50	3.00	34	3.25	0.26	PLANT MIX OVERLAY	1996
						1997	3.40	5.00	34	4.18	0.05		
						1998	3.40	5.00	34	4.18	0.27		
						*1999	3.40	5.00	47	4.18	0.29		
						2000	3.40	5.00	42	4.18	0.22		
						2001	3.40	5.00	36	4.18	0.26		
						2002	3.20	5.00	36	4.08	0.28		
1	I-90	001660	050.969	052.000	DES	1993	3.40	3.50	58	3.44			
						1994	2.90	3.50	58	3.19	0.14	SEALCOAT	1994
						*1995	2.90	3.50	58	3.19	0.14		
						1996	3.60	3.50	48	3.55	0.29	PLANT MIX OVERLAY	1996
						1997	3.50	5.00	39	4.23	0.12		
						1998	3.50	5.00	51	4.23	0.22		
						*1999	3.40	5.00	62	4.18	0.22		
						2000	3.30	5.00	53	4.13	0.23		
						2001	3.40	5.00	43	4.18	0.22		
						2002	3.20	5.00	43	4.08	0.26		
1	I-90	001660	052.000	055.239	ASC	1993	2.60	2.50	53	2.55			
						1994	2.40	2.40	53	2.40	0.03		
						1995	2.40	2.20	53	2.30	0.03		
						1996	1.80	2.20	29	1.99	0.11		
						1997	3.60	5.00	36	4.29	0.06	CONCRETE RESURFACE	1997
						1998	3.60	5.00	36	4.29	0.18		
						*1999	3.60	5.00	55	4.29	0.21		
						2000	3.60	5.00	54	4.29	0.23		
						2001	3.60	5.00	42	4.29	0.29		
						2002	3.40	5.00	42	4.18	0.31		
1	I-90	001660	052.000	055.239	DES	1993	2.40	2.50	54	2.44			
						1994	2.20	2.40	54	2.29	0.03		
						1995	2.20	2.30	54	2.24	0.03		
						1996	1.60	2.30	36	1.94	0.09		
						1997	3.70	5.00	37	4.34	0.09	CONCRETE RESURFACE	1997
						1998	3.60	5.00	54	4.29	0.17		
						*1999	3.60	5.00	55	4.29	0.21		
						2000	3.70	5.00	56	4.34	0.24		
						2001	3.70	5.00	44	4.34	0.19		
						2002	3.40	5.00	44	4.18	0.29		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
1	I-90	001660	055.239	058.461	ASC	1993	2.60	2.80	55	2.69			
						1994	2.40	2.60	55	2.49	0.04		
						1995	2.40	2.40	55	2.40	0.04		
						1996	1.80	2.40	36	2.09	0.09		
						1997	3.40	5.00	37	4.19	0.07	CONCRETE RESURFACE	1997
						1998	3.30	5.00	37	4.13	0.19		
						1999	3.30	5.00	59	4.13	0.21		
						2000	3.40	5.00	59	4.18	0.21		
						2001	3.40	5.00	43	4.18	0.26		
						2002	3.20	5.00	43	4.08	0.32		
1	I-90	001660	055.239	058.461	DES	1993	2.60	3.00	55	2.79			
						1994	2.50	3.00	55	2.74	0.06		
						1995	2.50	2.90	55	2.69	0.06		
						1996	2.00	2.70	35	2.34	0.08		
						1997	3.60	5.00	37	4.29	0.07	CONCRETE RESURFACE	1997
						1998	3.60	5.00	53	4.29	0.17		
						1999	3.60	5.00	57	4.29	0.20		
						2000	3.60	5.00	57	4.29	0.23		
						2001	3.60	5.00	42	4.29	0.22		
						2002	3.40	5.00	42	4.18	0.26		
1	I-90	001660	058.461	060.580	ASC	1993	2.50	4.00	54	3.24			
						1994	2.30	4.00	54	3.14	0.01		
						1995	2.30	4.00	54	3.14	0.01		
						1996	2.40	4.00	36	3.19	0.08		
						1997	2.50	4.00	36	3.24	0.09	CONCRETE RESURFACE	1997
						1998	2.40	4.00	36	3.19	0.09		
						1999	2.40	4.00	51	3.18	0.09		
						2000	2.30	4.00	51	3.13	0.09		
						2001	2.30	4.00	44	3.13	0.11		
						2002	2.20	4.00	44	3.08	0.12		
1	I-90	001660	058.461	060.580	DES	1993	2.30	4.00	55	3.14			
						1994	2.30	3.80	55	3.04	0.01		
						1995	2.30	3.80	55	3.04	0.01		
						1996	2.50	3.80	35	3.14	0.07		
						1997	2.30	3.80	40	3.04	0.08	CONCRETE RESURFACE	1997
						1998	2.30	3.80	46	3.04	0.08		
						1999	2.20	3.80	48	2.98	0.08		
						2000	2.30	3.80	48	3.03	0.08		
						2001	2.30	3.80	45	3.04	0.08		
						2002	2.20	3.80	45	2.98	0.07		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
1	I-90	001660	060.580	062.337	ASC	1993	2.80	5.00	46	3.89			
						1994	3.00	5.00	46	3.99	0.00	PLANT MIX OVERLAY	1994
						1995	3.00	4.50	46	3.74	0.00		
						1996	3.30	4.50	41	3.89	0.04		
						*1997	3.10	4.50	33	3.79	0.05		
						1998	3.10	4.50	31	3.79	0.04		
						1999	3.00	4.50	42	3.74	0.04		
						2000	3.00	4.50	42	3.74	0.04		
						2001	3.10	4.50	37	3.79	0.04		
						2002	2.90	4.50	37	3.69	0.04		
1	I-90	001660	060.580	062.337	DES	1993	2.80	5.00	48	3.89			
						1994	3.30	5.00	48	4.14	0.03	PLANT MIX OVERLAY	1994
						1995	3.30	5.00	48	4.14	0.03		
						1996	3.20	5.00	37	4.09	0.04		
						*1997	3.10	5.00	36	4.04	0.05		
						1998	3.20	5.00	37	4.09	0.03		
						1999	3.10	5.00	45	4.03	0.03		
						2000	3.10	5.00	45	4.03	0.03		
						2001	3.20	5.00	40	4.09	0.04		
						2002	2.90	5.00	40	3.93	0.03		
1	I-90	001660	062.337	062.983	ASC	1993	2.80	5.00	46	3.89			
						1994	3.00	5.00	46	3.99	0.00	PLANT MIX OVERLAY	1994
						1995	3.00	4.50	46	3.74	0.00		
						1996	3.30	4.50	41	3.89	0.04		
						*1997	3.10	4.50	33	3.79	0.05		
						1998	2.70	4.50	39	3.59	0.07		
						1999	2.50	4.50	49	3.48	0.07		
						2000	2.70	4.50	49	3.59	0.07		
						2001	2.70	4.50	47	3.59	0.10		
						2002	2.90	4.50	47	3.69	0.09		
1	I-90	001660	062.337	062.983	DES	1993	2.80	5.00	48	3.89			
						1994	3.30	5.00	48	4.14	0.03	PLANT MIX OVERLAY	1994
						1995	3.30	5.00	48	4.14	0.03		
						1996	3.20	5.00	37	4.09	0.04		
						*1997	3.10	5.00	36	4.04	0.05		
						1998	2.70	5.00	44	3.83	0.08		
						1999	2.70	5.00	54	3.83	0.08		
						2000	2.80	5.00	54	3.88	0.07		
						2001	2.80	5.00	48	3.88	0.11		
						2002	2.70	5.00	48	3.83	0.09		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
1	I-90	001660	063.000	068.000	ASC	1993	1.70	1.90	46	1.79			
						1994	3.00	5.00	46	3.99	0.04	PLANT MIX OVERLAY	1994
						1995	3.00	5.00	46	3.99	0.04		
						1996	3.70	5.00	55	4.34	0.05		
						1997	3.30	5.00	38	4.14	0.05		
						*1998	3.30	5.00	38	4.14	0.07		
						1999	3.30	5.00	50	4.14	0.08		
						2000	3.30	5.00	50	4.14	0.09		
						2001	3.20	4.80	46	3.99	0.10		
						2002	3.20	4.80	46	3.99	0.11		
1	I-90	001660	063.000	068.000	DES	1993	1.60	1.50	45	1.55			
						1994	3.00	5.00	45	3.99	0.07	PLANT MIX OVERLAY	1994
						1995	3.00	5.00	45	3.99	0.07		
						1996	3.60	5.00	55	4.29	0.06		
						1997	3.20	5.00	36	4.09	0.07		
						*1998	3.10	5.00	41	4.04	0.08		
						1999	3.10	5.00	50	4.04	0.09		
						2000	3.10	5.00	50	4.04	0.11		
						2001	3.20	5.00	46	4.09	0.09		
						2002	3.10	5.00	46	4.04	0.13		
1	I-90	001660	068.000	068.591	ASC	1993	1.50	3.00	53	2.24			
						1994	3.00	3.00	53	3.00	0.02	PLANT MIX OVERLAY	1994
						1995	3.00	3.00	53	3.00	0.02		
						1996	1.90	3.00	38	2.44	0.09		
						1997	1.80	3.00	41	2.39	0.10		
						*1998	1.50	3.00	41	2.24	0.11		
						1999	1.30	3.00	50	2.14	0.12		
						2000	1.30	3.00	50	2.14	0.09		
						2001	1.30	3.00	47	2.14	0.11		
						2002	1.50	3.00	47	2.24	0.06		
1	I-90	001660	068.000	068.591	DES	1993	1.90	4.50	54	3.19			
						1994	3.00	3.60	54	3.29	0.04	PLANT MIX OVERLAY	1994
						1995	3.00	3.60	54	3.29	0.04		
						1996	2.20	3.60	51	2.89	0.07		
						1997	2.00	3.60	43	2.79	0.08		
						*1998	1.90	3.60	45	2.74	0.07		
						1999	1.80	3.60	50	2.69	0.07		
						2000	1.90	3.40	50	2.64	0.06		
						2001	1.90	3.40	45	2.64	0.06		
						2002	1.80	3.40	45	2.59	0.04		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
1	I-90	001660	068.591	073.888	ASC	1993	2.30	4.00	51	3.14		
						1994	2.30	3.10	51	2.69	0.03	
						1995	2.30	3.00	51	2.64	0.03	
						1996	2.30	3.00	40	2.64	0.08	
						1997	2.10	3.00	40	2.54	0.08	
						1998	2.10	3.00	40	2.54	0.08	
						1999	2.00	3.00	48	2.49	0.08	
						2000	2.00	3.00	48	2.49	0.09	
						2001	2.00	3.00	43	2.49	0.09	
						2002	2.00	3.00	43	2.49	0.09	
1	I-90	001660	068.591	073.888	DES	1993	2.30	4.00	52	3.14		
						1994	2.30	3.50	52	2.89	0.06	
						1995	2.30	3.50	52	2.89	0.06	
						1996	2.50	3.50	39	2.99	0.06	
						1997	2.30	3.50	38	2.89	0.08	
						1998	2.30	3.50	43	2.89	0.06	
						1999	2.20	3.50	48	2.84	0.06	
						2000	2.30	3.50	48	2.89	0.07	
						2001	2.30	3.50	43	2.89	0.06	
						2002	2.30	3.50	43	2.89	0.05	
1	I-90	001661	004.720	005.240	N	1993	1.70	3.00	53	2.48		
						1994	1.70	3.00	53	2.48	0.22	
						1995	1.70	3.00	53	2.48	0.22	
						1996	3.10	3.00	37	3.03	0.08	
						1997	2.80	3.00	37	2.92	0.08	
						1998	2.60	3.00	37	2.84	0.11	
						1999	2.70	3.00	44	2.88	0.13	
						2000	2.80	3.00	44	2.91	0.16	
						2001	2.70	3.00	44	2.86	0.16	
						2002	3.00	3.00	44	3.00	0.13	
1	I-90	001661	005.240	005.765	N	1993	1.60	4.50	50	3.35		
						1994	1.60	4.50	50	3.34	0.31	
						1995	1.60	4.50	50	3.34	0.31	
						1996	2.90	4.50	35	3.86	0.15	
						1997	2.30	4.50	36	3.62	0.17	
						1998	2.20	4.50	36	3.58	0.18	
						1999	2.20	4.50	42	3.58	0.20	
						2000	2.20	4.50	42	3.50	0.24	
						2001	2.20	4.50	42	3.49	0.24	
						2002	2.20	4.50	42	3.49	0.18	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
1	I-90	001662	000.000	000.265	ASC	2001	1.80	5.00	15	3.72	0.05	
						2002	2.10	5.00	15	3.84	0.02	
1	I-90	001662	000.000	000.265	DES	2001	2.50	5.00	50	4.00	0.05	
						2002	3.50	5.00	50	4.40	0.10	
1	I-90	001662	003.661	003.804	N	1994	1.40	5.00	54	3.60	0.34	
						1995	1.40	5.00	54	3.60	0.34	
						1996	2.40	5.00	39	3.99	0.10	
						1997	2.00	5.00	41	3.83	0.09	
						1998	1.90	5.00	41	3.80	0.09	
						1999	2.10	5.00	41	3.87	0.15	
						2000	1.90	5.00	41	3.79	0.16	
						2001	1.70	5.00	50	3.72	0.12	
						2002	2.10	5.00	50	3.87	0.08	
1	I-90	001664	000.000	000.255	N	1993	1.80	4.00	51	3.16		
						1994	1.50	4.00	51	3.04	0.20	SEALCOAT
						1995	1.50	4.00	58	3.04	0.20	
						1996	2.80	4.00	58	3.54	0.16	
						1997	2.60	4.00	52	3.46	0.17	
						1998	2.50	4.00	52	3.42	0.12	
						1999	2.50	4.00	52	3.42	0.20	
						2000	2.60	4.00	52	3.46	0.17	
						2001	2.60	4.00	54	3.46	0.19	
						2002	2.50	4.00	54	3.43	0.19	
1	I-90	001664	000.255	000.944	N	1993	1.80	1.50	58	1.61		
						1994	2.10	1.50	58	1.72	0.24	SEALCOAT
						1995	2.10	1.50	58	1.72	0.24	
						1996	3.20	1.50	54	2.14	0.11	
						1997	2.90	5.00	51	4.19	0.09	
						1998	2.80	3.50	51	3.23	0.10	
						1999	2.80	3.50	51	3.23	0.12	
						2000	2.90	3.50	51	3.27	0.11	
						2001	2.80	3.50	53	3.23	0.13	
						2002	2.80	3.50	53	3.23	0.12	
1	I-90	001664	000.944	001.520	N	2001	2.60	1.90	51	2.17	0.24	
						2002	2.80	1.90	51	2.25	0.26	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
1	I-90	001665	003.847	003.928	N	1993	0.20	4.20	63	2.68		
						*1994	0.20	3.00	63	1.93	0.49	
						1995	0.20	3.00	63	1.94	0.49	
						1996	1.40	3.00	53	2.39	0.12	
						1997	1.30	3.00	50	2.35	0.13	
						1998	1.10	3.00	50	2.28	0.15	
						1999	1.30	3.00	50	2.35	0.15	
						2000	1.20	3.00	50	2.31	0.15	
						2001	1.00	3.00	51	2.24	0.12	
						2002	1.00	3.00	51	2.24	0.12	
1	I-90	001665	003.928	003.957	N	1993	0.20	4.20	63	2.68		
						*1994	0.20	3.00	63	1.93	0.49	
						1997	1.30	3.00	50	2.35	0.13	
						1998	1.10	3.00	50	2.27	0.15	
						1999	1.30	3.00	50	2.35	0.15	
						2000	1.20	3.00	50	2.31	0.15	
						2001	1.00	3.00	51	2.24	0.12	
						2002	1.00	3.00	51	2.24	0.12	
1	I-90	001666	000.000	000.565	N	1993	1.40	1.90	67	1.71		
						1994	1.50	2.00	67	1.81	0.20	
						1995	1.50	2.00	67	1.83	0.20	
						1996	2.10	2.00	56	2.03	0.17	
						1997	1.80	2.00	54	1.93	0.14	
						1998	1.70	2.50	54	2.23	0.17	
						1999	1.70	2.50	54	2.21	0.17	
						2000	1.60	2.50	54	2.17	0.15	
						2001	1.60	2.50	51	2.17	0.16	
						2002	1.80	2.50	49	2.24	0.15	
1	I-90	001666	000.565	001.000	N	*1993	0.80	3.50	68	2.68		
						1994	1.50	3.50	68	2.83	0.25	
						1995	1.50	3.50	68	2.83	0.25	
						1996	1.70	3.50	56	2.89	0.19	
						1997	1.40	3.00	51	2.46	0.15	
						1998	1.30	3.00	51	2.43	0.16	
						1999	1.40	3.00	51	2.46	0.16	
						2000	1.50	3.00	51	2.49	0.16	
						2001	1.50	3.00	51	2.49	0.17	
						2002	1.70	3.00	49	2.56	0.15	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
1	I-90	001670	060.890	061.607	N	1993	1.80	4.00	53	3.16		
						1994	1.80	4.00	53	3.16	0.25	
						1995	1.80	4.00	53	3.16	0.25	
						*1996	2.20	4.00	56	3.31	0.10	
						1997	2.20	4.00	56	3.31	0.13	
						1998	2.20	3.50	56	3.00	0.14	
						1999	2.10	3.40	56	2.90	0.14	
						2000	2.10	3.00	56	2.65	0.15	
						*2001	2.30	3.00	51	2.73	0.17	
1	I-90	001670	060.890	062.133	N	2002	2.30	3.00	49	2.73	0.14	
1	I-90	005920	000.000	000.200	N	1993	1.90	4.00	52	3.17		
						1994	1.90	4.00	52	3.17	0.01	
						1995	1.90	4.00	52	3.16	0.01	
						1996	2.20	4.00	39	3.28	0.09	
						1997	2.00	4.00	40	3.20	0.07	
						1998	1.70	4.00	40	3.08	0.12	
						1999	1.70	4.00	40	3.08	0.11	
						2000	1.70	4.00	40	3.08	0.11	
						2001	1.90	4.00	43	3.16	0.15	
						2002	1.70	4.00	43	3.08	0.20	
1	I-90	008339	014.781	016.588	ASC	1993	2.30	5.00	43	3.62		
						1994	2.80	4.00	43	3.38	0.03	
						1995	2.80	3.80	43	3.28	0.03	
						1996	3.30	3.80	54	3.54	0.15	
						1997	3.10	3.80	33	3.44	0.13	
						1998	3.00	3.80	19	3.39	0.21	
						1999	3.00	3.80	37	3.39	0.20	
						2000	3.00	3.80	37	3.39	0.20	
						2001	3.10	3.80	37	3.44	0.24	
						2002	3.00	3.80	37	3.39	0.21	
1	I-90	008339	014.781	016.588	DES	1993	3.20	5.00	43	4.08		
						1994	2.90	4.00	43	3.43	0.00	
						1995	2.90	4.00	43	3.43	0.00	
						1996	3.60	4.00	54	3.79	0.08	
						1997	3.30	4.00	34	3.64	0.10	
						1998	3.30	4.00	21	3.64	0.10	
						1999	3.10	4.00	41	3.54	0.11	
						2000	3.20	4.00	41	3.59	0.14	
						2001	3.30	4.00	41	3.64	0.17	
						2002	3.20	4.00	41	3.59	0.18	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
1	I-90	008339	016.588	020.280	ASC	1993	2.50	5.00	43	3.73		
						1994	2.60	3.50	43	3.04	0.02	
						1995	2.60	3.50	43	3.04	0.02	
						1996	3.30	3.50	54	3.39	0.13	
						1997	2.90	3.50	35	3.19	0.12	
						1998	2.90	3.50	22	3.19	0.14	
						1999	2.90	3.50	37	3.19	0.16	
						2000	2.90	3.50	37	3.19	0.17	
						2001	2.90	3.50	37	3.19	0.20	
						2002	3.00	3.50	37	3.24	0.19	
1	I-90	008339	016.588	020.280	DES	1993	2.80	5.00	43	3.88		
						1994	2.80	4.00	43	3.39	0.01	
						1995	2.80	4.00	43	3.39	0.01	
						1996	3.50	4.00	54	3.74	0.12	
						1997	3.10	4.00	28	3.54	0.13	
						1998	3.10	4.00	18	3.54	0.16	
						1999	3.00	4.00	40	3.49	0.17	
						2000	3.00	4.00	40	3.49	0.18	
						2001	3.10	4.00	40	3.54	0.19	
						2002	3.20	4.00	40	3.59	0.19	
1	U.S.-95	001539	421.210	421.324	N	2002	2.50	5.00	47	3.80	0.13	
1	U.S.-95	001539	421.210	423.270	N	1993	2.60	4.50	54	3.59		
						1994	2.50	4.50	54	3.54	0.13	
						1995	2.50	4.50	54	3.54	0.13	SEALCOAT 1995
						1996	3.40	4.50	49	3.97	0.09	
						1997	3.20	4.50	38	3.87	0.10	
						1998	3.20	3.00	38	3.09	0.13	
						1999	3.20	2.40	38	2.78	0.12	
						2000	3.20	2.40	38	2.78	0.12	
						*2001	3.20	2.40	47	2.78	0.14	
1	U.S.-95	001539	421.324	421.602	N	2002	3.70	5.00	47	4.37	0.32	COLD IN PLACE RECYCLE 2002
1	U.S.-95	001539	421.602	423.270	N	2002	3.30	2.40	47	2.83	0.16	
1	U.S.-95	001540	371.599	372.500	N	1993	1.70	2.00	64	1.85		
						1994	1.70	2.00	64	1.85	0.34	
						1995	1.70	2.00	64	1.85	0.34	
						1996	2.30	2.00	36	2.14	0.26	
						1997	1.90	2.00	35	1.95	0.29	
						1998	2.30	2.00	35	2.14	0.32	
						1999	2.20	2.00	31	2.09	0.25	
						2000	2.20	2.00	31	2.09	0.25	
						2001	2.20	2.00	31	2.09	0.28	
						2002	2.50	2.00	31	2.23	0.27	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
1	U.S.-95	001540	372.500	378.540	N	1993	2.50	5.00	63	3.81		
						1994	2.70	5.00	63	3.91	0.18	
						1995	2.70	4.50	63	3.64	0.18	
						1996	3.90	4.50	38	4.21	0.22	
						1997	3.50	4.50	27	4.02	0.21	
						1998	3.60	4.00	27	3.81	0.29	
						1999	3.50	4.00	41	3.76	0.33	
						2000	3.40	4.00	41	3.71	0.33	
						2001	3.50	4.00	41	3.76	0.35	
						2002	3.40	4.00	41	3.71	0.37	
1	U.S.-95	001540	378.540	382.000	N	1993	2.40	2.50	57	2.45		
						*1994	2.60	2.00	57	2.28	0.34	PLANT MIX OVERLAY
						1995	3.00	5.00	50	4.10	0.36	1994
						1996	3.90	5.00	50	4.50	0.07	
						1997	3.60	5.00	33	4.37	0.08	
						1998	3.60	5.00	33	4.37	0.14	
						1999	3.60	5.00	32	4.37	0.16	
						2000	3.60	5.00	32	4.37	0.17	
						2001	3.60	5.00	36	4.37	0.18	
						2002	3.60	5.00	36	4.37	0.22	
1	U.S.-95	001540	382.000	388.588	N	1993	2.40	2.50	57	2.45		
						*1994	2.60	2.00	57	2.28	0.34	
						1995	2.50	2.00	61	2.23	0.32	
						1996	3.20	2.00	34	2.57	0.28	
						1997	2.90	2.00	28	2.42	0.24	
						1998	3.00	2.00	28	2.47	0.30	
						1999	2.90	2.00	34	2.42	0.33	
						2000	2.90	2.00	34	2.42	0.34	
						*2001	3.00	3.00	43	3.00	0.34	
1	U.S.-95	001540	382.000	389.500	N	2002	4.00	5.00	43	4.52	0.05	C.R.A.B.S.
1	U.S.-95	001540	388.588	390.200	N	1993	3.20	3.50	61	3.35		PLANT MIX OVERLAY
						1994	3.00	5.00	61	4.04	0.05	1993
						1995	3.00	5.00	61	4.04	0.05	
						1996	4.00	5.00	49	4.52	0.11	
						1997	3.70	4.50	35	4.11	0.10	
						1998	3.70	4.50	35	4.11	0.16	
						1999	3.60	4.50	36	4.07	0.17	
						2000	3.60	4.50	36	4.07	0.19	
						*2001	3.70	4.50	41	4.11	0.22	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
1	U.S.-95	001540	389.500	390.200	N	2002	3.50	4.50	37	4.02	0.28		
1	U.S.-95	001540	390.200	391.500	N	1993	3.00	3.50	65	3.26		PLANT MIX OVERLAY	1993
						1994	2.90	5.00	65	3.99	0.17		
						1995	2.90	5.00	65	3.99	0.17		
						1996	3.70	5.00	43	4.37	0.12		
						1997	3.30	5.00	37	4.18	0.12		
						1998	3.40	5.00	37	4.23	0.17		
						1999	3.40	5.00	40	4.23	0.19		
						2000	3.30	4.80	40	4.08	0.18		
						2001	3.40	4.80	29	4.13	0.19		
						2002	3.30	4.80	29	4.08	0.26		
1	U.S.-95	001540	391.500	392.650	N	1993	3.40	4.00	62	3.71		PLANT MIX OVERLAY	1993
						1994	3.20	4.00	62	3.61	0.12		
						1995	3.20	4.00	62	3.61	0.12		
						1996	4.00	4.00	41	4.00	0.08		
						1997	3.80	4.00	41	3.90	0.08		
						1998	3.80	4.00	41	3.90	0.14		
						1999	3.80	4.00	40	3.90	0.14		
						2000	3.70	4.00	40	3.85	0.17		
						2001	3.80	4.00	35	3.90	0.19		
						2002	3.50	4.00	35	3.76	0.24		
1	U.S.-95	001540	392.650	393.800	N	1993	3.30	4.50	61	3.92		PLANT MIX OVERLAY	1993
						1994	3.20	4.50	61	3.88	0.15		
						1995	3.20	4.50	61	3.88	0.15		
						1996	3.90	4.50	45	4.21	0.12		
						1997	3.60	4.50	31	4.07	0.11		
						1998	3.70	4.50	31	4.11	0.17		
						1999	3.60	4.50	30	4.07	0.18		
						2000	3.50	4.50	30	4.02	0.21		
						2001	3.70	4.50	30	4.11	0.16		
						2002	3.40	4.50	30	3.97	0.24		
1	U.S.-95	001540	393.800	395.450	N	1993	3.40	4.00	59	3.73		PLANT MIX OVERLAY	1993
						1994	3.20	4.00	59	3.64	0.04		
						1995	3.20	4.00	59	3.64	0.04		
						1996	3.90	4.00	42	3.95	0.12		
						1997	3.60	4.00	28	3.81	0.11		
						1998	3.60	4.00	28	3.81	0.20		
						1999	3.60	4.00	31	3.81	0.20		
						2000	3.60	4.00	31	3.81	0.21		
						2001	3.60	4.00	32	3.81	0.24		
						2002	3.50	4.00	32	3.77	0.30		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
1	U.S.-95	001540	395.730	396.018	N	1996	2.10	2.50	34	2.31	0.42	
						1997	1.30	2.30	34	1.84	0.51	
						1998	1.90	2.20	34	2.06	0.34	
						1999	2.00	2.10	28	2.05	0.35	
						2000	1.70	2.10	28	1.91	0.39	
						2001	1.70	2.10	31	1.91	0.37	
						2002	1.80	2.10	31	1.96	0.27	
1	U.S.-95	001540	396.018	398.596	N	1993	2.60	1.30	49	1.92		
						1994	2.70	1.30	49	1.97	0.37	PLANT MIX OVERLAY
						1995	2.70	1.30	49	1.97	0.37	
						*1996	3.30	1.30	44	2.26	0.32	
						1997	3.70	5.00	50	4.37	0.10	
						1998	3.70	5.00	50	4.37	0.19	
						1999	3.70	5.00	30	4.37	0.22	
						2000	3.60	5.00	30	4.32	0.26	
						2001	3.70	5.00	28	4.37	0.22	
						2002	3.70	5.00	28	4.37	0.31	
1	U.S.-95	001540	398.596	401.610	N	1993	2.60	1.30	49	1.92		
						1994	2.70	1.30	49	1.97	0.37	
						1995	2.70	1.30	49	1.97	0.37	
						*1996	3.30	1.30	44	2.26	0.32	NEW CONST OR RECONST (FLEX)
						1997	3.50	5.00	53	4.27	0.10	
						1998	3.60	5.00	53	4.32	0.16	
						1999	3.60	5.00	31	4.32	0.17	
						2000	3.50	5.00	31	4.28	0.21	
						2001	3.60	5.00	25	4.32	0.26	
						2002	3.50	5.00	25	4.28	0.30	
1	U.S.-95	001540	401.610	402.128	N	1993	1.80	1.00	54	1.36		
						1994	1.80	1.00	54	1.36	0.43	
						1995	1.80	1.00	54	1.36	0.43	
						*1996	2.70	1.00	42	1.76	0.47	
						1997	2.10	3.00	37	2.59	0.37	
						1998	2.60	3.00	37	2.81	0.25	
						1999	2.50	3.00	37	2.77	0.21	
						2000	2.50	2.30	37	2.39	0.27	
						2001	2.50	2.00	37	2.22	0.28	
						2002	2.90	2.00	37	2.40	0.26	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
1	U.S.-95	001540	402.128	405.739	N	1993	2.60	2.30	50	2.44		
						1994	2.40	2.30	50	2.34	0.32	
						1995	2.40	2.30	50	2.34	0.32	
						1996	3.60	4.00	45	3.80	0.32	
						1997	3.30	4.00	36	3.66	0.31	
						1998	3.30	2.80	36	3.03	0.31	
						1999	3.30	2.80	38	3.03	0.36	
						2000	3.20	2.80	38	2.99	0.38	
						2001	3.30	2.40	39	2.83	0.36	
						2002	3.20	2.40	39	2.78	0.26	
1	U.S.-95	001540	405.739	411.000	N	1993	2.50	2.50	51	2.50		
						1994	2.30	2.50	51	2.40	0.35	
						1995	2.30	2.50	51	2.40	0.35	
						1996	3.40	2.50	49	2.92	0.26	
						1997	3.10	2.50	35	2.78	0.24	
						1998	3.10	2.50	35	2.78	0.25	
						*1999	3.00	2.50	42	2.73	0.32	
						2000	2.90	2.50	42	2.69	0.33	
						2001	3.00	2.50	46	2.73	0.30	
						2002	3.00	2.50	46	2.73	0.33	
1	U.S.-95	001540	411.000	413.500	N	1993	2.50	2.50	51	2.50		
						1994	2.30	2.50	51	2.40	0.35	
						1995	2.30	2.50	51	2.40	0.35	
						1996	3.40	2.50	49	2.92	0.26	
						1997	3.10	2.50	35	2.78	0.24	
						1998	3.10	2.50	35	2.78	0.25	
						*1999	3.00	2.50	42	2.73	0.32	
						2000	3.40	5.00	45	4.23	0.28	NEW CONST OR RECONST (FLEX) 2000
						2001	3.30	5.00	49	4.18	0.27	
						2002	3.30	4.00	49	3.66	0.28	
1	U.S.-95	001540	413.500	414.800	N	1993	1.90	1.50	53	1.69		
						1994	1.70	1.50	53	1.59	0.40	
						1995	1.70	1.50	53	1.59	0.40	
						1996	2.40	1.50	50	1.92	0.33	
						1997	2.20	3.20	35	2.72	0.23	
						1998	2.40	3.00	35	2.71	0.28	
						*1999	2.20	2.40	41	2.30	0.30	
						2000	2.50	2.30	38	2.39	0.32	
						2001	2.40	2.30	40	2.34	0.34	
						2002	2.60	2.30	40	2.44	0.35	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
1	U.S.-95	001540	414.800	415.691	N	1993	2.00	1.80	58	1.89		
						1994	1.80	1.80	58	1.80	0.41	
						1995	1.80	1.80	58	1.80	0.41	
						1996	2.60	1.80	49	2.18	0.35	
						1997	2.70	3.20	40	2.96	0.27	
						1998	2.70	3.20	40	2.96	0.30	
						1999	2.70	3.10	50	2.90	0.35	
						2000	2.70	2.40	50	2.54	0.38	
						2001	2.80	2.40	53	2.59	0.42	
						2002	2.50	2.40	53	2.44	0.22	
1	U.S.-95	001540	415.691	417.461	N	1993	2.10	2.00	56	2.04		
						1994	1.90	2.00	56	1.95	0.40	
						1995	1.90	1.80	56	1.84	0.40	
						1996	2.70	1.80	49	2.23	0.30	
						1997	2.40	3.00	39	2.71	0.32	
						*1998	2.50	3.00	39	2.76	0.35	
						1999	2.60	2.30	40	2.44	0.38	
						2000	2.60	2.30	40	2.44	0.39	
						2001	2.60	2.20	52	2.39	0.41	
						2002	3.20	5.00	52	4.13	0.09	NEW CONST OR RECONST (FLEX) 2002
1	U.S.-95	001540	417.461	420.670	N	1993	2.10	2.00	56	2.04		
						1994	1.90	2.00	56	1.95	0.40	
						1995	1.90	1.80	56	1.84	0.40	
						1996	2.70	1.80	49	2.23	0.30	
						1997	2.40	3.00	39	2.71	0.32	
						*1998	2.50	3.00	39	2.76	0.35	
						1999	2.30	3.00	37	2.66	0.36	
						2000	2.60	3.00	37	2.80	0.34	
						2001	2.60	3.00	47	2.80	0.32	
						2002	3.10	5.00	47	4.09	0.30	NEW CONST OR RECONST (FLEX) 2002
1	U.S.-95	001540	423.270	426.614	N	1993	2.50	5.00	56	3.80		PLANT MIX OVERLAY 1993
						1994	2.60	5.00	56	3.84	0.13	
						1995	2.60	5.00	56	3.84	0.13	
						1996	3.30	5.00	45	4.18	0.09	
						1997	3.00	5.00	33	4.04	0.09	
						*1998	3.00	4.00	33	3.52	0.13	
						1999	3.10	4.00	32	3.56	0.14	
						2000	3.00	4.00	32	3.51	0.16	
						2001	3.00	4.00	37	3.51	0.17	
						2002	3.10	4.00	37	3.56	0.18	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
1	U.S.-95	001540	426.614	428.800	N	1993	2.50	5.00	56	3.80		PLANT MIX OVERLAY	1993
						1994	2.60	5.00	56	3.84	0.13		
						1995	2.60	5.00	56	3.84	0.13		
						1996	3.30	5.00	45	4.18	0.09		
						1997	3.00	5.00	33	4.04	0.09		
						*1998	3.00	4.00	33	3.52	0.13		
						1999	3.70	3.50	43	3.59	0.16		
						2000	3.60	3.50	43	3.54	0.18		
						2001	3.70	4.00	43	3.85	0.16		
						2002	3.60	4.00	43	3.80	0.12		
1	U.S.-95	001540	428.800	429.606	N	1993	2.00	4.00	50	3.03		PLANT MIX OVERLAY	1993
						1994	2.20	3.50	50	2.87	0.28		
						1995	3.50	3.50	50	3.50	0.00	PLANT MIX SEAL	1995
						1996	2.80	3.50	34	3.16	0.12		
						1997	2.40	3.50	37	2.96	0.13		
						1998	2.40	3.50	37	2.96	0.12		
						1999	2.30	3.50	38	2.91	0.09		
						2000	2.30	3.50	38	2.98	0.11		
						2001	2.40	3.50	33	2.96	0.13		
						2002	2.50	3.50	33	3.01	0.11		
1	U.S.-95	001540	429.606	429.882	N	1993	2.00	3.00	55	2.56			
						1994	2.00	3.00	55	2.56	0.08		
						1995	3.50	3.50	55	3.50	0.00	PLANT MIX SEAL	1995
						1996	3.10	3.50	46	3.32	0.09		
						1997	2.80	3.50	39	3.20	0.09		
						*1998	2.90	3.50	39	3.24	0.09		
						1999	2.60	3.50	33	3.11	0.13		
						2000	2.90	3.50	33	3.24	0.15		
						2001	2.80	3.50	33	3.19	0.16		
						2002	2.70	3.50	33	3.15	0.14		
1	U.S.-95	001540	429.882	430.629	N	1993	2.20	2.80	54	2.52			
						1994	2.00	2.50	54	2.26	0.12		
						1995	3.50	3.50	54	3.50	0.00	PLANT MIX SEAL	1995
						1996	3.70	3.50	48	3.59	0.04		
						1997	3.30	3.50	35	3.40	0.06		
						*1998	3.00	3.50	35	3.26	0.08		
						1999	2.40	3.50	52	2.99	0.14		
						2000	2.40	3.50	52	2.99	0.14		
						2001	2.40	3.50	55	2.99	0.16		
						2002	2.50	3.50	55	3.04	0.14		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
1	U.S.-95	001540	430.629	431.070	ASC	1993	3.20	4.50	45	3.90		
						*1994	3.00	4.50	45	3.80	0.03	
						1995	3.50	4.50	46	4.03	0.00	PLANT MIX SEAL
						1996	3.40	4.50	46	3.98	0.07	
						1997	3.30	4.50	39	3.94	0.08	
						1998	3.00	4.50	39	3.80	0.11	
						1999	2.80	4.50	49	3.70	0.22	
						2000	2.80	4.50	49	3.71	0.23	
						2001	3.00	4.50	43	3.80	0.21	
						2002	2.80	4.00	43	3.43	0.28	
1	U.S.-95	001540	430.629	431.070	DES	1993	2.80	4.50	43	3.71		
						*1994	2.70	4.50	43	3.66	0.17	
						1995	3.50	4.50	31	4.03	0.00	PLANT MIX SEAL
						1996	2.00	4.50	46	3.33	0.30	
						1997	3.30	4.50	39	3.94	0.08	
						1998	4.10	4.50	39	4.31	0.18	
						1999	4.10	4.50	49	4.31	0.25	
						2000	4.40	4.50	49	4.45	0.27	
						2001	4.00	4.50	55	4.26	0.29	
						2002	3.90	4.50	55	4.21	0.33	
1	U.S.-95	001540	431.070	432.786	ASC	1993	3.20	4.50	45	3.90		
						*1994	3.00	4.50	45	3.80	0.03	PLANT MIX SEAL
						1995	3.00	4.50	45	3.80	0.02	
						1996	3.90	4.50	38	4.22	0.11	
						1997	3.60	4.50	28	4.08	0.16	
						1998	3.70	4.50	28	4.12	0.18	
						1999	3.60	4.50	33	4.07	0.28	
						2000	3.70	4.50	33	4.12	0.29	
						2001	3.60	4.50	35	4.08	0.33	
						2002	3.60	4.00	35	3.81	0.35	
1	U.S.-95	001540	431.070	432.786	DES	1993	2.80	4.50	43	3.71		
						*1994	2.70	4.50	43	3.66	0.17	PLANT MIX SEAL
						1995	2.90	4.50	47	3.75	0.13	
						1996	3.90	4.50	37	4.22	0.15	
						1997	3.60	4.50	34	4.08	0.17	
						1998	3.50	4.50	34	4.03	0.22	
						1999	3.50	4.50	35	4.03	0.30	
						2000	3.60	4.50	35	4.08	0.30	
						2001	3.50	4.50	32	4.03	0.35	
						2002	3.50	4.50	32	4.03	0.39	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS		
1	U.S.-95	001540	432.786	433.796	ASC	1993	3.60	4.00	46	3.81				
						1994	3.00	5.00	46	4.08	0.01	PLANT MIX SEAL	1994	
						1995	3.00	5.00	46	4.06	0.01			
						1996	4.10	5.00	40	4.58	0.11			
						1997	3.80	5.00	32	4.44	0.15			
						1998	3.70	4.80	32	4.29	0.20			
						1999	3.80	4.80	38	4.33	0.22			
						2000	3.80	4.80	38	4.33	0.26			
						2001	3.90	4.80	40	4.38	0.29			
						2002	3.70	4.80	40	4.28	0.34			
1	U.S.-95	001540	432.786	433.796	DES	1993	3.60	4.00	48	3.81				
						1994	3.20	4.00	48	3.63	0.12	PLANT MIX SEAL	1994	
						1995	3.20	4.00	48	3.62	0.12			
						1996	4.00	4.00	32	4.00	0.13			
						1997	3.80	4.00	27	3.90	0.12			
						1998	3.70	4.00	27	3.86	0.17			
						1999	3.70	4.00	29	3.86	0.25			
						2000	3.80	4.00	29	3.90	0.25			
						2001	3.70	4.00	26	3.86	0.33			
						2002	3.70	4.00	26	3.86	0.30			
1	U.S.-95	001540	433.796	435.805	ASC	1993	3.60	4.00	46	3.81				
						1994	3.00	5.00	46	4.08	0.04	PLANT MIX SEAL	1994	
						1995	3.00	5.00	46	4.08	0.04			
						1996	4.10	5.00	36	4.59	0.12			
						1997	3.70	5.00	30	4.40	0.12			
						1998	3.70	5.00	30	4.40	0.22			
						1999	3.70	5.00	39	4.40	0.22			
						2000	3.60	4.50	39	4.08	0.25			
						2001	3.70	4.50	40	4.13	0.29			
						2002	3.60	4.50	40	4.08	0.30			
1	U.S.-95	001540	433.796	435.805	DES	1993	3.40	4.00	47	3.72				
						1994	3.40	4.00	47	3.72	0.12	PLANT MIX SEAL	1994	
						1995	3.40	4.00	47	3.72	0.12			
						1996	4.10	4.00	33	4.04	0.10			
						1997	3.70	4.00	29	3.86	0.15			
						1998	3.70	4.00	29	3.86	0.19			
						1999	3.70	4.00	32	3.86	0.27			
						2000	3.70	4.00	32	3.86	0.25			
						2001	3.70	4.00	38	3.86	0.32			
						2002	3.70	4.00	38	3.86	0.33			

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS			
1	U.S.-95	001540	435.805	436.272	ASC	1993	3.60	4.50	50	4.09					
						1994	3.20	4.50	50	3.90	0.07	PLANT	MIX	SEAL	1994
						1995	3.50	4.50	50	4.04	0.00	PLANT	MIX	SEAL	1995
						1996	3.50	4.50	49	4.04	0.07				
						1997	3.30	4.50	34	3.95	0.06				
						1998	3.20	4.50	34	3.90	0.12				
						1999	3.10	3.30	33	3.20	0.18				
						2000	3.00	3.30	33	3.16	0.21				
						2001	3.10	3.30	33	3.20	0.23				
						2002	3.00	3.30	33	3.16	0.22				
1	U.S.-95	001540	435.805	436.272	DES	1993	3.40	4.50	48	4.00					
						1994	3.40	4.50	48	4.00	0.24	PLANT	MIX	SEAL	1994
						1995	3.50	4.50	48	4.04	0.00	PLANT	MIX	SEAL	1995
						1996	3.60	4.50	46	4.08	0.20				
						1997	3.30	4.50	38	3.95	0.06				
						1998	3.70	4.50	38	4.13	0.15				
						1999	3.60	4.50	45	4.08	0.22				
						2000	3.50	4.50	45	4.04	0.27				
						2001	3.50	4.50	46	4.03	0.30				
						2002	3.20	4.50	46	3.90	0.36				
1	U.S.-95	001540	436.272	438.925	N	1993	3.50	4.50	48	4.01					
						1994	3.50	4.50	48	4.01	0.28				
						1995	3.50	4.50	48	4.01	0.00	PLANT	MIX	SEAL	1995
						1996	3.70	4.50	44	4.10	0.12				
						1997	3.40	4.50	36	3.95	0.14				
						1998	3.30	4.50	36	3.90	0.21				
						1999	3.30	4.50	43	3.90	0.22				
						2000	3.30	4.50	43	3.90	0.29				
						2001	3.30	4.50	46	3.90	0.33				
						2002	3.20	4.50	46	3.85	0.38				
1	U.S.-95	001540	438.925	441.000	N	1993	2.90	2.90	55	2.90					
						*1994	2.90	2.90	55	2.90	0.27				
						1995	3.50	5.00	47	4.26	0.00	PLANT	MIX	SEAL	1995
						1996	3.60	5.00	46	4.31	0.10				
						1997	3.30	5.00	38	4.16	0.12				
						1998	3.20	5.00	38	4.11	0.15				
						1999	3.20	5.00	49	4.11	0.17				
						2000	3.10	4.80	49	3.96	0.21				
						2001	3.30	3.20	46	3.24	0.25				
						2002	3.30	3.20	46	3.24	0.27				

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
1	U.S.-95	001540	441.000	443.404	N	1993	2.90	2.90	55	2.90		
						*1994	2.90	2.90	55	2.90	0.27	
						1995	2.90	2.80	62	2.84	0.25	
						1996	4.10	5.00	37	4.56	0.08	PLANT MIX OVERLAY
						1997	4.00	5.00	37	4.51	0.04	
						*1998	3.90	5.00	37	4.46	0.08	
						1999	3.80	5.00	47	4.41	0.13	
						2000	3.70	5.00	47	4.36	0.11	
						2001	3.80	5.00	46	4.41	0.14	
						2002	3.40	5.00	46	4.21	0.16	
1	U.S.-95	001540	443.404	444.866	N	1993	2.90	2.90	55	2.90		
						*1994	2.90	2.90	55	2.90	0.27	
						1995	2.90	2.80	62	2.84	0.25	
						1996	4.10	5.00	37	4.56	0.08	PLANT MIX OVERLAY
						1997	4.00	5.00	37	4.51	0.04	
						*1998	3.90	5.00	37	4.46	0.08	
						1999	4.00	5.00	47	4.51	0.08	
						2000	4.00	5.00	47	4.50	0.10	
						2001	4.10	5.00	45	4.55	0.14	
						2002	3.90	5.00	45	4.45	0.15	
1	U.S.-95	001540	444.866	451.080	N	1993	2.80	3.00	57	2.90		
						1994	2.70	3.00	57	2.85	0.18	
						1995	2.70	2.80	57	2.75	0.18	
						1996	4.00	5.00	37	4.51	0.05	PLANT MIX OVERLAY
						1997	3.80	5.00	37	4.41	0.06	
						*1998	3.70	5.00	37	4.36	0.10	
						1999	3.80	5.00	47	4.41	0.11	
						2000	3.70	4.80	47	4.26	0.12	
						*2001	3.80	3.00	43	3.38	0.13	
1	U.S.-95	001540	444.866	451.135	N	2002	3.60	3.00	43	3.29	0.13	
1	U.S.-95	001540	451.080	452.000	N	1993	4.00	3.50	55	3.74		
						1994	3.90	3.50	55	3.69	0.36	
						*1995	3.90	3.50	55	3.69	0.36	SEALCOAT
						1996	4.00	3.50	48	3.74	0.30	
						1997	3.80	3.50	33	3.64	0.37	
						1998	3.70	3.50	33	3.59	0.46	
						1999	3.60	3.50	34	3.54	0.48	
						2000	3.60	3.50	34	3.54	0.55	
						*2001	3.70	3.50	42	3.59	0.55	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
1	U.S.-95	001540	451.135	452.000	N	2002	4.00	5.00	42	4.51	0.03	MILL INLAY AND OVERLAY	2002
1	U.S.-95	001540	452.000	452.800	N	1993	2.90	3.50	59	3.21			
						1994	2.90	3.50	59	3.21	0.25		
						1995	2.90	3.50	59	3.21	0.25	SEALCOAT	1995
						1996	3.60	3.50	51	3.54	0.27		
						1997	3.50	3.50	38	3.50	0.33		
						1998	3.20	3.50	38	3.35	0.40		
						1999	3.40	3.50	48	3.45	0.35		
						2000	3.30	3.50	48	3.40	0.36		
						2001	3.50	3.50	43	3.50	0.41		
						2002	4.00	5.00	43	4.51	0.02	MILL INLAY AND OVERLAY	2002
1	U.S.-95	001540	452.800	454.000	N	1993	3.60	3.00	55	3.28			
						1994	3.40	3.00	55	3.19	0.16		
						1995	3.40	3.00	55	3.19	0.16	SEALCOAT	1995
						1996	3.60	3.00	55	3.28	0.11		
						1997	3.50	3.00	37	3.24	0.14		
						1998	3.40	3.00	37	3.19	0.17		
						1999	3.40	3.00	40	3.19	0.11		
						2000	3.50	3.00	40	3.24	0.17		
						2001	3.60	3.00	37	3.29	0.20		
						2002	3.70	5.00	37	4.37	0.05	MILL INLAY AND OVERLAY	2002
1	U.S.-95	001540	454.000	456.847	N	1993	3.60	2.90	54	3.23			
						1994	3.60	2.90	54	3.23	0.15		
						1995	3.60	2.90	54	3.23	0.15	SEALCOAT	1995
						1996	3.90	2.90	52	3.38	0.18		
						1997	3.80	2.90	36	3.33	0.17		
						1998	3.80	2.90	36	3.33	0.25		
						1999	3.60	2.90	43	3.23	0.18		
						2000	3.70	2.90	43	3.28	0.21		
						*2001	3.80	2.90	37	3.33	0.21		
1	U.S.-95	001540	454.000	458.580	N	2002	3.90	5.00	35	4.46	0.02	MILL INLAY AND OVERLAY	2002
1	U.S.-95	001540	456.847	458.580	N	1993	3.10	2.90	56	2.99			
						1994	3.00	2.90	56	2.94	0.17		
						*1995	3.00	2.80	56	2.89	0.17	SEALCOAT	1995
						1996	3.60	2.80	52	3.18	0.21		
						1997	3.40	2.80	33	3.09	0.23		
						1998	3.30	2.80	33	3.04	0.27		
						1999	3.50	2.80	37	3.13	0.24		
						2000	3.60	2.80	37	3.18	0.29		
						*2001	3.60	2.80	32	3.18	0.29		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
1	U.S.-95	001540	458.580	461.070	N	1993	3.10	2.90	56	2.99		
						1994	3.00	2.90	56	2.94	0.17	
						*1995	3.00	2.80	56	2.89	0.17	SEALCOAT
						1996	3.10	5.00	41	4.08	0.16	PLANT MIX OVERLAY
						1997	3.50	5.00	36	4.27	0.04	
						1998	3.50	5.00	36	4.27	0.07	
						1999	3.50	5.00	45	4.27	0.06	
						2000	3.50	4.10	45	3.80	0.08	
						2001	3.50	4.10	46	3.80	0.08	
						2002	3.40	4.10	46	3.76	0.08	
1	U.S.-95	001540	461.070	463.742	N	1993	3.10	2.90	56	2.99		
						1994	3.00	2.90	56	2.94	0.17	
						*1995	3.00	2.80	56	2.89	0.17	SEALCOAT
						1996	3.80	2.80	47	3.28	0.31	
						1997	3.50	2.80	32	3.13	0.32	
						1998	3.50	2.80	32	3.13	0.37	
						1999	3.50	2.80	38	3.13	0.36	
						2000	3.70	2.80	38	3.23	0.43	
						2001	3.80	2.80	38	3.28	0.43	
						2002	3.60	2.80	38	3.18	0.44	
1	U.S.-95	001540	463.742	465.300	N	1993	3.00	2.30	49	2.63		
						1994	3.00	2.30	49	2.63	0.30	
						1995	3.00	2.30	49	2.63	0.30	SEALCOAT
						1996	3.40	2.30	42	2.83	0.31	
						1997	3.20	2.30	34	2.73	0.33	
						1998	3.10	2.30	34	2.68	0.41	
						1999	3.10	2.30	42	2.68	0.43	
						2000	3.30	2.30	42	2.78	0.46	
						2001	3.20	2.30	42	2.73	0.42	
						2002	3.10	2.30	42	2.68	0.40	
1	U.S.-95	001540	465.300	466.100	N	1993	3.40	2.00	53	2.67		
						1994	3.50	2.00	53	2.72	0.11	
						1995	3.50	2.00	53	2.72	0.11	SEALCOAT
						1996	3.90	2.00	49	2.91	0.22	
						1997	3.60	2.00	37	2.77	0.29	
						1998	3.60	2.00	37	2.77	0.29	
						1999	3.60	2.00	33	2.77	0.37	
						2000	3.60	2.00	33	2.77	0.41	
						2001	3.90	5.00	38	4.46	0.26	
						2002	3.70	5.00	38	4.36	0.24	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
1	U.S.-95	001540	466.100	467.800	N	1993	3.40	3.00	52	3.19			
						*1994	3.40	3.00	52	3.19	0.27		
						1995	3.30	3.00	53	3.14	0.29	SEALCOAT	1995
						1996	3.80	3.00	51	3.38	0.32		
						1997	3.50	3.00	34	3.24	0.34		
						1998	3.50	3.00	34	3.24	0.39		
						1999	3.50	3.00	35	3.24	0.38		
						2000	3.60	3.00	35	3.29	0.46		
						2001	3.80	3.00	48	3.38	0.09		
						2002	3.50	3.00	48	3.24	0.16		
1	U.S.-95	001540	467.800	468.100	N	1993	3.40	3.00	52	3.19			
						*1994	3.40	3.00	52	3.19	0.27		
						1995	3.50	3.00	51	3.24	0.00		1995
						1996	3.90	3.00	50	3.43	0.11		
						1997	3.80	3.00	32	3.38	0.12		
						1998	3.80	3.00	32	3.38	0.18		
						1999	3.60	3.00	48	3.29	0.19		
						2000	3.80	3.00	48	3.38	0.15		
						2001	3.40	5.00	45	4.22	0.07	MILL INLAY AND OVERLAY	2001
						2002	3.20	5.00	45	4.12	0.10		
1	U.S.-95	001540	468.100	469.750	N	1993	3.10	3.00	48	3.04			
						*1994	3.00	3.00	48	3.00	0.22		
						1995	3.50	2.50	46	2.98	0.00		1995
						1996	3.50	2.90	45	3.19	0.09		
						1997	3.20	2.90	33	3.04	0.09		
						1998	3.10	2.90	33	2.99	0.17		
						1999	3.10	2.90	42	2.99	0.17		
						2000	3.20	2.50	42	2.84	0.18		
						2001	4.00	5.00	43	4.51	0.06	MILL INLAY AND OVERLAY	2001
						2002	3.80	5.00	43	4.41	0.13		
1	U.S.-95	001540	469.750	470.951	N	1993	3.10	3.00	48	3.04			
						*1994	3.00	3.00	48	3.00	0.22		
						1995	3.00	3.00	49	3.00	0.19	SEALCOAT	1995
						1996	3.50	3.00	44	3.24	0.28		
						1997	3.10	3.00	27	3.04	0.29		
						1998	3.10	3.00	27	3.04	0.35		
						1999	3.10	3.00	33	3.04	0.40		
						*2000	3.10	3.00	33	3.04	0.47		
						2001	3.90	5.00	42	4.46	0.07	MILL INLAY AND OVERLAY	2001
						2002	3.60	5.00	42	4.31	0.14		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
1	U.S.-95	001540	470.951	471.743	N	1993	3.10	3.00	48	3.04		
						*1994	3.00	3.00	48	3.00	0.22	
						1995	3.00	3.00	49	3.00	0.19	SEALCOAT
						1996	3.50	3.00	44	3.24	0.28	
						1997	3.10	3.00	27	3.04	0.29	
						1998	3.10	3.00	27	3.04	0.35	
						1999	3.10	3.00	33	3.04	0.40	
						*2000	3.10	3.00	33	3.04	0.47	
						2001	3.80	5.00	39	4.40	0.12	MILL INLAY AND OVERLAY
						2002	3.50	5.00	39	4.25	0.25	
1	U.S.-95	001540	471.743	472.862	N	1993	2.50	2.00	47	2.21		
						*1994	2.50	2.00	47	2.21	0.17	
						1995	2.30	2.00	39	2.14	0.15	
						1996	2.50	2.00	21	2.24	0.07	
						1997	2.60	2.00	21	2.29	0.07	
						1998	2.50	2.00	21	2.24	0.11	
						1999	2.60	2.00	28	2.29	0.12	
						2000	2.60	2.00	28	2.29	0.13	
						2001	2.60	3.30	30	2.95	0.14	
						2002	2.60	3.30	30	2.95	0.10	
1	U.S.-95	001540	472.862	474.001	N	1993	2.50	2.00	47	2.21		
						*1994	2.50	2.00	47	2.21	0.17	
						1995	3.50	5.00	51	4.35	0.00	MILL INLAY AND OVERLAY
						1996	3.40	5.00	49	4.30	0.07	
						1997	3.10	5.00	44	4.17	0.12	
						1998	3.00	5.00	44	4.12	0.17	
						1999	2.90	5.00	48	4.08	0.19	
						2000	2.90	5.00	48	4.07	0.27	
						2001	3.30	5.00	44	4.25	0.12	
						2002	3.20	4.50	44	3.92	0.19	
1	U.S.-95	001540	474.001	474.242	N	1996	3.00	5.00	40	4.11	0.08	
						1997	2.50	5.00	41	3.89	0.09	
						1998	2.40	5.00	41	3.84	0.15	
						1999	2.10	4.50	41	3.43	0.16	
						2000	2.40	2.40	41	2.40	0.22	
						2001	2.00	2.40	44	2.22	0.22	
						2002	1.90	2.40	44	2.17	0.25	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
1	U.S.-95	001540	474.242	474.716	N	1993	0.90	2.00	53	1.60			
						1994	0.80	2.00	53	1.56	0.30		
						1995	3.50	5.00	53	4.46	0.00	MILL INLAY AND OVERLAY	1995
						1996	3.00	5.00	49	4.28	0.11		
						1997	2.90	5.00	55	4.24	0.13		
						1998	2.50	5.00	55	4.10	0.17		
						1999	2.50	4.50	55	3.78	0.19		
						2000	2.60	4.50	55	3.67	0.20		
						2001	2.50	4.50	44	3.63	0.20		
						2002	2.20	4.00	44	3.22	0.13		
1	U.S.-95	001540	474.716	475.000	N	1996	3.00	5.00	47	4.10	0.15		
						1997	2.70	5.00	49	3.97	0.20		
						1998	2.20	4.80	49	3.64	0.18		
						1999	2.10	2.70	40	2.43	0.32		
						2000	2.20	2.70	40	2.47	0.34		
						2001	2.30	2.70	48	2.51	0.31		
						2002	2.50	5.00	48	3.87	0.03		
1	U.S.-95	001540	475.000	475.430	N	1993	1.90	1.30	47	1.56			
						1994	1.60	1.30	47	1.43	0.14		
						1995	3.50	5.00	47	4.33	0.00	MILL INLAY AND OVERLAY	1995
						1996	3.10	5.00	45	4.15	0.08		
						1997	2.50	5.00	39	3.90	0.22		
						1998	2.30	5.00	39	3.80	0.28		
						1999	2.20	3.00	39	2.64	0.36		
						2000	2.00	2.40	39	2.22	0.49		
						2001	1.90	2.40	48	2.17	0.53		
						2002	3.10	2.40	48	2.71	0.05		
1	U.S.-95	001540	475.430	475.731	N	1993	0.90	2.50	51	1.70			
						1994	1.10	2.50	51	1.80	0.45		
						1995	3.50	5.00	51	4.25	0.00	MILL INLAY AND OVERLAY	1995
						1996	3.60	5.00	35	4.30	0.05		
						1997	2.90	5.00	44	3.96	0.08		
						1998	3.00	5.00	44	4.00	0.08		
						1999	2.70	4.00	48	3.34	0.11		
						2000	2.30	2.40	48	2.35	0.09		
						2001	2.40	2.40	45	2.40	0.22		
						2002	3.50	2.40	45	2.92	0.05		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
1	U.S.-95	001540	475.731	476.000	N	1993	1.90	2.00	49	1.95			
						1994	2.40	2.00	49	2.19	0.23		
						1995	2.40	1.90	49	2.14	0.23		
						1996	1.90	1.90	39	1.90	0.31		
						1997	2.50	1.90	38	2.19	0.25		
						1998	2.30	1.90	38	2.09	0.16		
						1999	2.40	5.00	38	3.72	0.12	PLANT MIX OVERLAY	1999
						2000	2.60	5.00	38	3.88	0.09		
						2001	2.90	5.00	45	4.02	0.13		
						2002	2.30	5.00	45	3.74	0.15		
1	U.S.-95	001540	476.000	477.010	N	1993	2.00	1.00	49	1.48			
						*1994	1.90	1.00	49	1.43	0.51		
						1995	2.40	4.00	44	3.21	0.37		
						1996	2.50	4.00	26	3.26	0.52		
						1997	2.30	4.00	22	3.17	0.48		
						*1998	2.50	4.00	22	3.26	0.47		
						1999	3.30	4.00	30	3.65	0.14	PLANT MIX OVERLAY	1999
						2000	3.20	4.00	30	3.63	0.17		
						2001	3.10	4.00	20	3.58	0.24		
						2002	3.20	4.00	20	3.63	0.28		
1	U.S.-95	001540	477.010	477.380	N	1993	2.00	1.00	49	1.48			
						*1994	1.90	1.00	49	1.43	0.51		
						1995	2.40	4.00	44	3.21	0.37		
						1996	2.50	4.00	26	3.26	0.52		
						1997	2.30	4.00	22	3.17	0.48		
						*1998	2.50	4.00	22	3.26	0.47		
						1999	3.10	4.00	30	3.56	0.31		
						2000	3.10	2.40	30	2.72	0.37		
						2001	3.10	2.40	20	2.72	0.41		
						2002	2.80	2.40	20	2.58	0.36		
1	U.S.-95	001540	477.380	481.560	N	1993	2.00	1.00	49	1.48			
						*1994	1.90	1.00	49	1.43	0.51		
						1995	3.50	5.00	48	4.27	0.00	NEW CONST OR RECONST (FLEX)	1995
						1996	2.50	5.00	34	3.79	0.30		
						1997	3.10	5.00	34	4.08	0.19		
						1998	3.60	5.00	34	4.32	0.19		
						1999	3.60	5.00	30	4.32	0.24		
						2000	3.70	5.00	30	4.37	0.26		
						2001	3.70	5.00	27	4.37	0.24		
						2002	3.60	5.00	27	4.32	0.23		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
1	U.S.-95	001540	481.840	483.730	N	1993	2.30	1.50	50	1.88			
						*1994	2.10	1.50	50	1.78	0.35		
						1995	3.50	5.00	51	4.27	0.00	NEW CONST OR RECONST (FLEX)	1995
						1996	3.10	5.00	35	4.08	0.14		
						*1997	2.70	5.00	35	3.89	0.18		
						*1998	3.10	5.00	33	4.08	0.19		
						1999	3.10	5.00	35	4.08	0.17		
						2000	3.20	5.00	35	4.13	0.16		
						2001	3.20	5.00	35	4.13	0.19		
						2002	3.20	5.00	35	4.13	0.20		
1	U.S.-95	001540	484.374	486.550	N	1993	3.00	1.70	50	2.32			
						1994	3.10	1.70	50	2.37	0.22		
						1995	3.10	1.60	50	2.31	0.22	NEW CONST OR RECONST (FLEX)	1995
						1996	3.50	1.60	34	2.51	0.32		
						1997	3.40	1.50	34	2.41	0.29		
						*1998	3.70	5.00	34	4.37	0.05		
						1999	3.00	4.00	30	3.52	0.20		
						2000	2.90	3.40	30	3.15	0.19		
						2001	3.10	3.30	36	3.20	0.17		
						2002	3.00	3.30	36	3.15	0.17		
1	U.S.-95	001540	486.550	491.771	N	1993	3.00	1.70	50	2.32			
						1994	3.10	1.70	50	2.37	0.22		
						1995	3.10	1.60	50	2.31	0.22		
						1996	3.50	1.60	34	2.51	0.32		
						1997	3.40	1.50	34	2.41	0.29		
						*1998	3.70	5.00	34	4.37	0.05		
						1999	3.90	4.60	51	4.26	0.04	PLANT MIX OVERLAY	1999
						2000	3.90	4.60	51	4.26	0.07		
						2001	3.90	4.60	41	4.26	0.07	C.R.A.B.S.	2001
						2002	3.80	4.60	41	4.21	0.11		
1	U.S.-95	001540	491.771	496.920	N	1993	3.00	2.00	54	2.48			
						*1994	2.90	2.00	54	2.43	0.24		
						*1995	3.50	5.00	54	4.27	0.00	PLANT MIX OVERLAY	1995
						1996	3.40	2.00	43	2.67	0.17		
						1997	3.30	2.00	43	2.62	0.17		
						1998	3.20	2.00	43	2.57	0.18		
						1999	3.20	2.00	40	2.57	0.21		
						*2000	3.20	2.00	40	2.57	0.24		
						2001	3.30	5.00	42	4.19	0.26	C.R.A.B.S.	2001
						2002	3.60	5.00	42	4.33	0.11		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
1	U.S.-95	001540	496.920	499.823	N	1993	3.00	2.00	54	2.48		
						*1994	2.90	2.00	54	2.43	0.24	
						*1995	3.50	5.00	54	4.27	0.00	PLANT MIX OVERLAY
						1996	3.60	5.00	40	4.32	0.11	
						1997	3.50	5.00	40	4.27	0.15	
						1998	3.30	5.00	40	4.18	0.20	
						1999	3.50	5.00	39	4.28	0.24	
						*2000	3.60	5.00	39	4.32	0.27	
						2001	3.70	5.00	35	4.37	0.23	
						2002	3.30	4.50	35	3.92	0.28	
1	U.S.-95	001540	499.823	502.734	N	1993	3.00	2.00	54	2.48		
						*1994	2.90	2.00	54	2.43	0.24	
						*1995	3.50	5.00	54	4.27	0.00	PLANT MIX OVERLAY
						1996	3.60	4.50	31	4.06	0.07	
						1997	3.40	4.50	31	3.97	0.08	
						1998	3.30	4.50	31	3.92	0.14	
						1999	3.30	4.50	39	3.92	0.18	
						2000	3.30	4.50	39	3.92	0.24	
						2001	3.30	4.50	34	3.92	0.22	
						2002	3.20	4.50	34	3.87	0.25	
1	U.S.-95	001540	502.734	504.000	N	1993	3.00	2.00	54	2.48		
						*1994	2.90	2.00	54	2.43	0.24	
						*1995	3.50	5.00	54	4.27	0.00	PLANT MIX OVERLAY
						1996	3.80	4.50	35	4.16	0.08	
						1997	3.50	4.50	35	4.01	0.10	
						1998	3.60	4.50	35	4.06	0.13	
						1999	3.50	4.50	34	4.01	0.17	
						2000	3.60	4.50	34	4.06	0.19	
						2001	3.50	4.50	35	4.01	0.14	
						2002	3.40	4.50	35	3.97	0.26	
1	U.S.-95	001540	504.000	505.017	N	1993	3.00	2.00	54	2.48		
						*1994	2.90	2.00	54	2.43	0.24	
						1995	2.60	4.50	58	3.62	0.13	
						1996	3.60	4.00	36	3.81	0.20	
						*1997	3.40	4.00	36	3.72	0.19	
						1998	3.40	4.00	37	3.72	0.25	
						1999	3.50	4.00	42	3.77	0.23	
						2000	3.50	3.50	42	3.50	0.28	
						2001	3.50	3.50	39	3.50	0.27	
						2002	3.50	3.50	39	3.50	0.32	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
1	U.S.-95	001540	505.017	505.861	N	1993	2.80	5.00	58	3.99		
						*1994	2.70	5.00	58	3.94	0.12	
						1995	2.60	4.50	58	3.62	0.13	
						1996	3.60	4.00	36	3.81	0.20	
						*1997	3.40	4.00	36	3.72	0.19	
						1998	3.00	4.00	33	3.54	0.25	
						1999	2.90	2.40	35	2.63	0.29	
						2000	3.00	2.30	35	2.62	0.32	
						2001	2.90	2.30	32	2.57	0.32	
						2002	3.20	2.30	32	2.71	0.34	
1	U.S.-95	001540	505.861	506.080	N	1993	2.80	5.00	58	3.99		
						1994	2.80	5.00	58	3.98	0.21	
						1995	2.80	5.00	58	3.98	0.21	
						1996	3.70	4.50	35	4.13	0.22	
						1997	3.30	4.50	35	3.94	0.32	
						1998	3.00	4.50	35	3.81	0.35	
						1999	3.00	4.50	29	3.81	0.39	
						2000	3.10	3.10	29	3.10	0.42	
						2001	3.10	3.10	37	3.10	0.48	
						2002	3.20	3.10	37	3.14	0.45	
1	U.S.-95	001540	506.080	506.860	N	1993	2.50	5.00	54	3.84		
						1994	2.50	5.00	54	3.84	0.21	
						1995	2.50	5.00	54	3.84	0.21	
						1996	3.50	4.00	37	3.76	0.19	
						1997	3.10	4.00	37	3.58	0.32	
						1998	3.00	4.00	37	3.53	0.30	
						1999	2.90	4.00	29	3.48	0.40	
						2000	3.00	4.00	29	3.53	0.45	
						2001	3.00	4.00	27	3.53	0.50	
						2002	2.90	3.80	27	3.38	0.42	
1	U.S.-95	001540	506.860	507.495	ASC	1993	1.10	3.00	48	2.14		
						1994	1.10	3.00	48	2.14	0.21	
						1995	1.10	3.00	48	2.13	0.21	
						1996	1.80	3.00	43	2.45	0.22	
						1997	1.40	3.00	39	2.27	0.23	
						1998	1.30	3.00	39	2.23	0.26	
						1999	1.40	3.00	32	2.27	0.28	
						2000	1.40	3.00	32	2.27	0.33	
						2001	1.30	3.00	42	2.23	0.32	
						2002	1.60	3.00	42	2.36	0.28	
1	U.S.-95	001540	506.860	507.495	DES	1994	1.10	3.00	48	2.14	0.21	
						1995	1.10	3.00	48	2.13	0.21	
						1996	1.80	3.00	34	2.45	0.22	
						1997	1.40	3.00	34	2.27	0.23	
						1998	1.60	3.00	34	2.36	0.32	
						1999	1.80	3.00	34	2.45	0.34	
						2000	1.60	3.00	32	2.36	0.38	

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
						2001	1.70	3.00	42	2.41	0.41	
						2002	2.10	3.00	42	2.59	0.32	
1	U.S.-95	001540	507.495	508.365	N	1993	1.20	4.50	53	2.99		
						1994	1.90	3.00	49	2.49	0.38	
						1995	1.90	3.00	49	2.50	0.38	
						1996	2.60	3.00	36	2.81	0.14	
						1997	2.20	2.90	32	2.58	0.15	
						1998	2.10	2.90	32	2.53	0.15	
						*1999	1.90	2.90	38	2.44	0.16	
						2000	2.40	5.00	38	3.80	0.18	
						2001	2.30	5.00	43	3.76	0.16	
						2002	2.60	5.00	43	3.90	0.15	
1	U.S.-95	001540	509.927	510.645	N	1993	2.20	1.50	52	1.83		
						*1994	2.30	1.50	52	1.88	0.29	
						1995	2.30	1.50	52	1.88	0.28	
						1996	2.80	1.50	39	2.12	0.33	
						*1997	2.70	1.50	40	2.07	0.32	PLANT MIX OVERLAY 1997
						1998	3.00	5.00	38	4.04	0.16	
						*1999	3.00	5.00	47	4.04	0.15	
						2000	4.20	5.00	31	4.61	0.05	NEW CONST OR RECONST (FLEX) 2000
						2001	4.00	5.00	51	4.52	0.07	
						2002	3.90	5.00	51	4.47	0.09	
1	U.S.-95	001540	510.645	511.080	N	1993	2.20	1.50	52	1.83		
						*1994	2.30	1.50	52	1.88	0.29	
						1995	2.30	1.50	52	1.88	0.28	
						1996	2.80	1.50	39	2.12	0.33	
						*1997	2.70	1.50	40	2.07	0.32	
						1998	3.30	1.80	37	2.51	0.21	
						*1999	3.50	5.00	65	4.28	0.14	C.R.A.B.S. 1999
						2000	4.40	5.00	35	4.71	0.03	NEW CONST OR RECONST (FLEX) 2000
						2001	3.90	5.00	53	4.47	0.06	
						2002	4.00	5.00	53	4.52	0.08	
1	U.S.-95	001540	511.080	515.518	N	1993	2.20	1.50	52	1.83		
						*1994	2.30	1.50	52	1.88	0.29	
						1995	2.30	1.50	52	1.88	0.28	PLANT MIX OVERLAY 1995
						1996	2.80	1.50	39	2.12	0.33	
						*1997	2.70	1.50	40	2.07	0.32	
						*1998	2.60	1.50	44	2.02	0.31	
						*1999	3.70	5.00	66	4.37	0.05	C.R.A.B.S. 1999
						2000	3.70	5.00	66	4.37	0.06	SEALCOAT 2000
						2001	3.70	5.00	51	4.37	0.06	
						2002	3.70	5.00	51	4.37	0.09	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
1	U.S.-95	001540	515.518	517.850	N	2002	3.40	2.80	57	3.08	0.13		
1	U.S.-95	001540	515.518	518.150	N	1993	2.20	1.50	52	1.83			
						*1994	2.30	1.50	52	1.88	0.29		
						1995	3.50	5.00	56	4.28	0.00	PLANT MIX OVERLAY	1995
						1996	3.80	5.00	37	4.42	0.03		
						1997	3.40	5.00	35	4.23	0.06		
						*1998	3.40	4.70	35	4.07	0.10		
						1999	3.30	5.00	43	4.18	0.12		
						2000	3.50	2.80	43	3.13	0.13	SEALCOAT	2000
						*2001	3.30	2.80	57	3.03	0.09		
1	U.S.-95	001540	517.850	518.340	N	2002	3.40	5.00	57	4.23	0.10	NEW CONST OR RECONST (FLEX)	2002
1	U.S.-95	001540	518.150	518.340	N	*1993	1.90	1.40	55	1.63			
						*1994	2.10	1.40	57	1.73	0.24	NEW CONST OR RECONST (FLEX)	1994
						1995	3.00	1.50	56	2.21	0.04		
						1996	2.70	5.00	37	3.90	0.10		
						1997	2.60	5.00	35	3.85	0.06		
						1998	2.50	5.00	35	3.80	0.09		
						1999	2.30	5.00	43	3.71	0.13		
						2000	2.70	5.00	43	3.90	0.15	SEALCOAT	2000
						*2001	2.40	5.00	57	3.75	0.10		
1	U.S.-95	001540	519.250	522.928	N	*1993	1.90	1.40	55	1.63			
						1994	2.20	1.40	55	1.78	0.22		
						1995	3.50	5.00	55	4.28	0.00	PLANT MIX OVERLAY	1995
						1996	3.70	5.00	36	4.38	0.04		
						1997	3.40	5.00	33	4.23	0.05		
						1998	3.40	5.00	33	4.24	0.06		
						1999	3.30	5.00	43	4.19	0.07		
						2000	3.40	4.50	43	3.97	0.08	SEALCOAT	2000
						2001	3.30	4.50	55	3.92	0.07		
						2002	3.20	4.50	55	3.87	0.09		
1	U.S.-95	001540	522.928	527.000	N	1993	1.70	1.80	55	1.75			
						1994	1.70	1.80	55	1.75	0.35		
						1995	2.10	1.80	55	1.94		PLANT MIX OVERLAY	1995
						1996	2.40	1.80	47	2.08	0.27		
						1997	2.40	5.00	41	3.76	0.23		
						1998	2.40	5.00	41	3.77	0.33		
						1999	2.40	4.50	53	3.50	0.30		
						2000	2.40	4.50	53	3.50	0.35	SEALCOAT	2000
						2001	2.40	3.00	47	2.71	0.36		
						2002	2.50	3.00	47	2.76	0.41		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
1	U.S.-95	001540	527.000	534.715	N	1993	2.50	2.70	57	2.60		
						1994	2.50	2.60	57	2.55	0.22	
						1995	2.50	2.60	57	2.55	0.22	
						1996	3.30	2.50	52	2.88	0.27	
						1997	3.10	2.50	49	2.78	0.29	
						1998	3.00	3.00	49	3.00	0.25	
						1999	3.00	5.00	53	4.05	0.29	
						2000	3.10	2.30	53	2.67	0.28	
						2001	3.10	2.30	44	2.67	0.28	
						2002	2.90	2.30	44	2.58	0.23	
1	U.S.-95	001540	534.715	538.562	N	1993	2.80	3.50	55	3.19		
						1994	2.50	3.50	55	3.06	0.19	
						1995	2.50	3.50	55	3.06	0.19	
						1996	3.30	3.50	51	3.41	0.23	
						1997	3.10	3.50	49	3.32	0.27	
						1998	3.00	3.50	49	3.28	0.26	
						1999	2.90	5.00	53	4.07	0.28	
						2000	3.00	3.80	53	3.44	0.30	
						2001	2.90	3.80	44	3.40	0.28	
						2002	2.70	3.80	44	3.31	0.27	
1	U.S.-95	001554	000.000	000.103	N	1993	0.20	4.00	49	2.54		
						1994	0.10	4.00	49	2.50	0.14	
						1995	0.10	4.00	49	2.50	0.14	
						1996	1.50	4.00	51	3.04	0.31	
						1997	1.20	4.00	49	2.92	0.36	
						1998	1.20	3.90	49	2.86	0.30	
						1999	1.00	3.90	53	2.79	0.29	
						2000	1.20	3.70	53	2.74	0.41	
						2001	1.00	3.70	44	2.66	0.40	
						2002	0.90	3.70	44	2.62	0.38	
1	U.S.-95	001554	000.103	000.229	N	1993	0.20	2.50	45	1.62		
						1994	0.10	2.40	45	1.52	0.16	
						1995	0.10	2.40	45	1.52	0.16	
						1996	0.80	2.40	51	1.79	0.24	
						1997	0.80	1.90	49	1.48	0.28	
						1998	0.70	1.90	49	1.44	0.31	
						1999	0.70	1.90	53	1.44	0.12	
						2000	0.80	1.90	53	1.48	0.33	
						2001	0.70	1.90	44	1.44	0.33	
						2002	0.60	1.90	44	1.40	0.26	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
1	U.S.-95	001590	028.515	028.725	N	*1993	0.70	2.00	55	1.35		
						1999	2.80	2.00	45	2.25	0.13	
						2000	3.20	2.00	45	2.52	0.15	
						2001	2.70	2.00	44	2.30	0.34	
						2002	2.00	5.00	44	3.68	0.25	
1	U.S.-95	001591	000.000	000.250	N	1993	1.40	1.00	53	1.17		
						1994	1.40	1.00	53	1.17	0.20	
						1995	1.40	5.00	53	3.43	0.20	
						1996	3.20	5.00	47	4.21	0.21	
						1997	2.40	5.00	42	3.87	0.40	
						1998	2.40	5.00	42	3.87	0.41	
						1999	2.00	5.00	42	3.69	0.37	
						2000	2.10	4.20	42	3.28	0.50	
						2001	1.60	3.30	44	2.55	0.46	
						2002	2.30	3.30	44	2.86	0.37	
1	U.S.-95	016012	518.340	519.140	N	1994	2.10	5.00	57	3.55	0.24	NEW CONST OR RECONST (FLEX) 1994
						1995	3.00	5.00	56	4.04	0.04	
						1996	3.50	5.00	37	4.28	0.14	
						1997	3.30	5.00	35	4.18	0.16	
						1998	3.20	5.00	35	4.14	0.18	
						1999	3.20	5.00	43	4.14	0.17	
						2000	3.40	4.60	43	4.03	0.17	
						2001	3.20	4.60	57	3.93	0.17	
						2002	3.20	4.60	57	3.93	0.18	
1	U.S.-95	016039	481.560	481.840	N	1995	3.50	5.00	48	4.31	0.00	
						1996	3.60	5.00	34	4.32	0.12	
						1997	3.60	5.00	34	4.32	0.19	
						1998	4.10	5.00	34	4.56	0.28	
						1999	4.10	5.00	30	4.56	0.28	
						2000	4.10	5.00	30	4.56	0.34	
						2001	4.20	5.00	27	4.61	0.34	
						2002	3.90	5.00	27	4.46	0.34	
1	U.S.-95	016039	483.730	484.302	N	1995	3.50	5.00	51	4.31	0.00	
						1996	3.60	5.00	35	4.32	0.15	
						1997	3.20	5.00	35	4.12	0.18	
						1998	3.30	5.00	33	4.17	0.27	
						1999	3.20	5.00	35	4.12	0.28	
						2000	3.30	5.00	35	4.17	0.31	
						2001	3.30	5.00	29	4.17	0.30	
						2002	3.20	5.00	29	4.13	0.30	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
1	U.S.-95	027614	508.365	509.880	N	2001	4.10		43	4.10	0.06	
						2002	3.80	5.00	43	4.45	0.07	
1	S.H.-97	001790	060.628	067.030	N	1993	1.50	1.80	57	1.67		
						1994	1.50	1.80	57	1.67	0.41	
						1995	1.50	1.80	57	1.67	0.41	SEALCOAT
						1996	2.50	1.70	54	2.03	0.22	
						1997	2.30	1.70	53	1.94	0.23	
						1998	2.10	1.70	53	1.86	0.24	
						*1999	2.00	1.70	57	1.82	0.27	C.R.A.B.S.
						2000	3.10	5.00	57	4.21	0.11	SEALCOAT
						2001	3.00	5.00	57	4.17	0.08	
						2002	3.10	5.00	57	4.21	0.10	SEALCOAT
1	S.H.-97	001790	067.030	068.767	N	1993	1.50	1.50	50	1.50		
						1994	1.50	1.50	50	1.50	0.54	
						1995	1.50	1.50	50	1.50	0.54	SEALCOAT
						1996	2.40	1.50	51	1.87	0.26	
						1997	2.00	1.50	49	1.70	0.27	
						1998	1.80	1.50	49	1.62	0.28	
						*1999	1.80	1.50	57	1.62	0.28	
						2000	1.60	1.70	57	1.65	0.33	
						2001	1.60	1.70	57	1.65	0.34	
						2002	1.90	5.00	57	3.72	0.34	SEALCOAT
1	S.H.-97	001790	068.767	069.134	N	1993	1.90	1.90	51	1.90		
						1994	1.90	1.90	51	1.90	0.59	
						1995	1.90	1.90	51	1.90	0.59	SEALCOAT
						1996	2.70	1.90	50	2.23	0.26	
						1997	2.30	1.90	51	2.06	0.30	
						1998	2.30	1.90	51	2.06	0.28	
						1999	2.40	1.90	60	2.10	0.27	
						2000	2.30	1.90	60	2.06	0.29	
						2001	2.50	1.90	60	2.14	0.31	
						2002	2.60	5.00	60	4.00	0.31	SEALCOAT
1	S.H.-97	001790	069.134	075.793	N	1993	1.10	1.30	54	1.21		
						1994	1.10	1.30	54	1.21	0.57	
						1995	1.10	1.30	54	1.21	0.57	SEALCOAT
						1996	2.00	1.30	51	1.58	0.30	
						1997	1.70	1.30	50	1.46	0.31	
						1998	1.60	1.30	50	1.42	0.33	
						1999	1.50	1.30	60	1.38	0.35	
						2000	1.60	1.30	60	1.42	0.34	
						2001	1.70	1.30	60	1.46	0.34	
						2002	2.00	5.00	60	3.76	0.33	SEALCOAT

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
1	S.H.-97	001790	075.793	082.328	N	1993	1.00	1.50	55	1.29			
						1994	1.00	1.50	55	1.29	0.63		
						1995	1.00	1.50	55	1.29	0.63	SEALCOAT	1995
						1996	2.00	1.50	50	1.70	0.31		
						1997	1.70	1.50	47	1.58	0.33		
						1998	1.60	1.50	47	1.54	0.34		
						1999	1.50	1.50	54	1.50	0.35		
						2000	1.60	1.50	54	1.54	0.33		
						2001	1.60	1.50	54	1.54	0.34		
						2002	2.00	5.00	54	3.76	0.30	SEALCOAT	2002
1	S.H.-97	001790	082.328	086.900	N	1993	1.10	1.80	55	1.51			
						1994	1.10	1.80	55	1.51	0.55		
						1995	1.10	1.80	55	1.51	0.55	SEALCOAT	1995
						1996	1.80	1.80	48	1.80	0.30		
						1997	1.50	1.80	49	1.67	0.31		
						1998	1.50	1.80	49	1.67	0.32		
						1999	1.40	1.80	43	1.63	0.33		
						*2000	1.50	1.80	43	1.67	0.33		
						2001	1.60	1.80	39	1.71	0.33		
						2002	1.80	5.00	39	3.67	0.31	SEALCOAT	2002
1	S.H.-97	001790	086.900	091.810	N	1993	1.20	1.50	51	1.37			
						1994	1.20	1.50	51	1.37	0.50		
						1995	1.20	1.50	51	1.37	0.50	SEALCOAT	1995
						1996	2.20	1.50	44	1.78	0.30		
						1997	1.70	1.50	47	1.58	0.31		
						1998	1.70	1.50	47	1.58	0.32		
						1999	1.70	1.50	56	1.58	0.37		
						*2000	1.80	1.50	56	1.62	0.34		
						2001	3.90	5.00	53	4.54	0.38	PLANT MIX OVERLAY	2001
						2002	2.70	5.00	53	4.04	0.11		
1	S.H.-97	001790	091.810	093.400	N	1993	1.20	1.50	51	1.37			
						1994	1.20	1.50	51	1.37	0.50		
						1995	1.20	1.50	51	1.37	0.50	SEALCOAT	1995
						1996	2.20	1.50	44	1.78	0.30		
						1997	1.70	1.50	47	1.58	0.31		
						1998	1.70	1.50	47	1.58	0.32		
						1999	1.70	1.50	56	1.58	0.37		
						*2000	1.80	1.50	56	1.62	0.34		
2001	2.00	1.50	62	1.70	0.34	SEALCOAT	2001						
2002	2.10	5.00	62	3.80	0.26								

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
1	S.H.-97	001790	093.400	096.160	N	1993	1.20	1.50	51	1.37			
						1994	1.20	1.50	51	1.37	0.50		
						1995	1.20	1.50	51	1.37	0.50	SEALCOAT	1995
						1996	2.20	1.50	44	1.78	0.30		
						1997	1.70	1.50	47	1.58	0.31		
						1998	1.70	1.50	47	1.58	0.32		
						1999	1.70	1.50	56	1.58	0.37		
						*2000	1.80	1.50	56	1.62	0.34		
						2001	3.40	5.00	54	4.33	0.18	PLANT MIX OVERLAY	2001
						2002	2.70	5.00	54	4.04	0.09		
1	S.H.-97	001790	096.160	096.429	N	1993	1.20	1.50	51	1.37			
						1994	1.20	1.50	51	1.37	0.50		
						1995	1.20	1.50	51	1.37	0.50	SEALCOAT	1995
						1996	2.20	1.50	44	1.78	0.30		
						1997	1.70	1.50	47	1.58	0.31		
						1998	1.70	1.50	47	1.58	0.32		
						1999	1.70	1.50	56	1.58	0.37		
						*2000	1.80	1.50	56	1.62	0.34		
						2001	2.30	1.50	54	1.83	0.10		
						2002	2.20	1.50	54	1.78	0.12		
1	S.H.-200	001610	029.740	030.290	N	1993	2.60	1.50	44	1.99			
						1994	2.50	1.50	44	1.95	0.39		
						1995	2.50	1.50	44	1.95	0.39		
						1996	2.90	1.40	37	2.07	0.35		
						*1997	2.60	1.40	37	1.94	0.34		
						*1998	2.50	4.50	39	3.59	0.24		
						1999	2.30	4.50	26	3.50	0.22		
						2000	2.30	4.50	26	3.57	0.27	SEALCOAT	2000
						2001	2.20	4.40	51	3.47	0.27		
						2002	2.30	4.40	51	3.51	0.30		
1	S.H.-200	001610	030.290	031.610	N	1993	2.60	1.50	44	1.99			
						1994	2.50	1.50	44	1.95	0.39		
						1995	2.50	1.50	44	1.95	0.39		
						1996	2.90	1.40	37	2.07	0.35		
						*1997	2.60	1.40	37	1.94	0.34		
						*1998	2.50	4.50	39	3.59	0.24		
						1999	3.00	5.00	28	4.09	0.09	NEW CONST OR RECONST (FLEX)	1999
						2000	3.10	5.00	28	4.18	0.12	SEALCOAT	2000
						2001	3.00	5.00	43	4.14	0.11		
						2002	2.90	5.00	43	4.10	0.15		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
1	S.H.-200	001610	031.610	036.456	N	1993	2.90	1.80	47	2.29			
						1994	2.80	1.80	47	2.24	0.61		
						1995	2.80	1.80	47	2.24	0.61		
						1996	2.90	1.80	30	2.29	0.55		
						1997	2.40	1.80	29	2.06	0.58	C.R.A.B.S.	1997
						*1998	3.40	5.00	29	4.28	0.05		
						1999	3.20	5.00	45	4.18	0.07		
						2000	3.20	5.00	45	4.18	0.09	SEALCOAT	2000
						2001	3.20	5.00	53	4.19	0.08		
						2002	3.30	4.80	53	4.12	0.10		
1	S.H.-200	001610	036.456	038.800	N	1993	2.30	1.50	54	1.85			
						1994	2.30	1.50	54	1.85	0.46		
						1995	2.30	1.50	54	1.85	0.46		
						1996	2.80	1.40	34	2.02	0.39		
						*1997	2.80	5.00	50	4.01	0.28	C.R.A.B.S.	1997
						1998	2.80	2.60	50	2.68	0.29		
						*1999	2.80	2.40	46	2.57	0.32		
						2000	3.30	5.00	48	4.23	0.09	SEALCOAT	2000
						2001	3.20	5.00	57	4.19	0.07		
						2002	3.30	4.80	57	4.12	0.08		
1	S.H.-200	001610	038.800	044.140	N	1993	2.30	1.50	54	1.85			
						1994	2.30	1.50	54	1.85	0.46		
						1995	2.30	1.50	54	1.85	0.46		
						1996	2.80	1.40	34	2.02	0.39		
						*1997	2.80	5.00	50	4.01	0.28	SEALCOAT	1997
						1998	2.80	2.60	50	2.68	0.29		
						*1999	2.80	2.40	46	2.57	0.32	C.R.A.B.S.	1999
						2000	3.20	5.00	46	4.19	0.04	SEALCOAT	2000
						2001	3.00	5.00	57	4.10	0.05		
						2002	3.00	4.80	57	3.99	0.04		
1	S.H.-200	001610	044.140	052.000	N	1993	3.00	2.90	57	2.94			
						1994	3.00	2.90	57	2.94	0.13		
						1995	3.00	2.90	57	2.94	0.13		
						1996	3.50	2.90	44	3.16	0.11		
						1997	3.20	2.90	50	3.03	0.11	SEALCOAT	1997
						1998	3.30	2.90	50	3.07	0.11		
						1999	3.20	2.90	49	3.03	0.13		
						2000	3.20	2.90	49	3.03	0.13	SEALCOAT	2000
						2001	3.30	2.90	48	3.07	0.14		
						2002	3.10	2.90	48	2.98	0.16		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
1	S.H.-200	001610	052.030	054.800	N	1993	2.20	3.00	56	2.66		
						1994	2.30	3.00	56	2.70	0.14	
						1995	2.30	3.00	56	2.70	0.14	
						1996	3.20	3.00	46	3.08	0.10	
						1997	3.10	3.00	53	3.04	0.10	SEALCOAT
						1998	3.10	3.00	53	3.04	0.09	
						*1999	3.00	3.00	49	3.00	0.09	
						2000	3.30	2.90	49	3.06	0.09	
						2001	3.30	2.90	43	3.06	0.07	
						2002	3.30	2.90	43	3.06	0.10	
1	S.H.-200	001610	054.800	063.118	N	1993	1.90	1.00	51	1.40		
						1994	1.90	1.00	51	1.40	0.25	
						1995	1.90	1.00	51	1.40	0.25	
						1996	2.40	1.00	40	1.62	0.27	
						1997	2.40	5.00	53	3.84	0.21	SEALCOAT
						1998	2.40	4.60	53	3.61	0.21	
						*1999	2.40	3.40	47	2.95	0.20	
						2000	3.30	5.00	47	4.24	0.19	C.R.A.B.S.
						2001	3.40	5.00	53	4.28	0.04	
						2002	3.40	5.00	53	4.28	0.06	
1	S.H.-200	001611	044.600	046.180	N	1993	1.10	1.00	59	1.03		
						1994	1.50	1.00	59	1.18	0.28	
						1995	1.50	1.00	59	1.18	0.28	
						1996	2.20	1.00	63	1.45	0.25	
						1997	2.00	1.00	55	1.37	0.23	
						1998	1.70	1.00	55	1.26	0.21	
						1999	2.00	1.00	55	1.37	0.16	
						2000	2.30	1.00	55	1.48	0.09	
						2001	2.20	1.00	55	1.45	0.11	
						2002	2.10	1.00	55	1.41	0.08	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH	REMARKS
---	-------	--------------	-----------------------	--------------------	-----	------	----	----	----	--------------------------	---------